Subject Index to Volume 1

Absorption: *see* specific substance and site
Acetazolamide
  bicarbonate reabsorption, kidney, F484
  chloride flux mechanisms (frog skin), F550
  phosphaturic effect of furosemide, F105
  physiological studies, F291
  sodium transport, bladder (toad), F210
N-Acetyl-4-aminoantipyrine
  labeled, water distribution indicator, developing teeth, F358
Acetylcholine
  interstitial pressure, F147
  renal blood flow, F147
  sodium excretion, F147
Acid-base balance
  disorders, in mineralocorticoid deficiency, F136
  fluoride absorption, bladder, F10
Acidification, urinary
  CO_2 transport, F20
  parathyroid hormone effects, F429
Acidosis
  bicarbonate reabsorption, kidney, F484
  metabolic, mineralocorticoid deficiency, F136
  renal tubular, mineralocorticoid deficiency, F136
  renal tubular, parathyroid hormone effects, F429
Actinomycin D
  sodium transport, bladder (toad), F307
Activity rhythms: *see* Rhythms
Adenosine monophosphate, cyclic
  analogue, vasopressin and, F368
  antidiuretic hormone and, F368
  bladder responses (toad), F173
  concentrating ability, F335
  protein kinase activity, renal medulla, F50
  sodium transport, bladder (toad), F307
Adenosine triphosphatase: *see* Sodium-potassium-ATPase
Adenosine triphosphate
  sodium reabsorption, F152
Adrenal gland
  mineralocorticoid deficiency, F136
Adrenergic blockade: *see* Blockade
Adrenergic receptors: *see* Receptors
Albumin
  catecholamine responses, F123
  hyperoncotic, renal glucose reabsorption and, F286
  infusion, renal glucose reabsorption effects, F286
  volume expansion, F123
Aldosterone: *see also* Renin-angiotensin-aldosterone system
  insulin-mediated sodium transport response, urinary bladder (toad), F270
  metabolic acidosis, F136
Aldosterone secretion
  aortic constriction, F434
  caval constriction, F559
  renin-angiotensin system, F434
Alkalosis
  bicarbonate reabsorption, kidney, F484
  metabolic, furosemide effects, F397
Amiloride
  permeability studies, colon, F5
  short-circuit current, colon, F5
p-Aminohippurate
  probenecid uricosuria inhibition, F222
  transport, aerobic and anerobic, renal, F239
  tubular transit, between lumen and cells, F416
p-Aminohippurate uptake
  electrolytes, effects, F239
  monovalent cations, effects, F239
  ouabain effects, F239
  renal, F239
Ammonia
  production, mineralocorticoid deficiency, F136
Amphotericin B
  permeability studies, colon, F5
  short-circuit current, colon, F5
Anesthesia
  filtration, nephron, following, F329
Angiotensin: *see also* Renin-angiotensin system
  renal cortical smooth muscle factor, responses, F84
Angiotensin antagonists
  renal cortical smooth muscle active factor, responses, F84
Angiotensin II
  aldosterone secretion during aortic constriction, F434
  blockade, effects, F559
  blood flow, renal, F538
  degradation, kidney tubules, F319
  electrolyte excretion, intrarenal F538
  electrolyte transport, kidney, F298
  glomerular filtration, F538
  handling, renal tubules, F319
  potassium excretion, kidney, F298
  sodium depletion, F538
  sodium excretion, F538
  sodium excretion, renal, F298
  sodium reabsorption, renal, F298
  water permeability, renal tubular, F298
Angiotensin II antagonists
  aldosterone secretion, F434
  electrolyte excretion, intrarenal control, F538
Anions
  organic, transport, renal cortex, F513
Antidiuresis
  blood flow, renal cortical, F111
Antidiuretic hormone: *see also* Vasopressin
  blood flow distribution, renal cortical, F111
  clearance, renal, with reduced blood flow, F341
  cyclic AMP and, F368
  protein kinase activation, renal medulla (bovine), F50
  sodium transport, bladder (toad), F307
  vasopressor role in DOC hypertension, F260
Aorta
  clamping, during Ringer loading, F92
Aortic constriction
  aldosterone secretion, F434
  proximal reabsorption and sodium excretion, F92
  renin-angiotensin system, F434
Apparatus and techniques
  autoradiography: *see* Autoradiography
  electron probe microanalysis, F391
  freeze-fracture electron microscopy, relationship of membrane structure to transport physiology, F77
  microspheres, radioactive: *see* Radionuclide studies
  signal-processing system for ultrasonic measurement of urine flow parameters, F471
  Sperber technique, tubular transport capacity (chicken), F443
  ultrasonic measurement system, urine flow parameters, F471
Arterioles
  efferent, renal, renin depletion, F215
Artifacts
  technical, distal tubular fluid, F497
Ascites
  formation, caval constriction, F559
  formation, renin-angiotensin-aldosterone system, F559
  salt retention, F315
  water retention, F315
Aspirin
  vasopressin action, F529
  water excretion, F529
Autoradiography
  pH gradients, developing teeth, F364
  water compartments, developing teeth, F358
Autoregulation
  glomerular filtration rate, after renin depletion, F215
  renal, filtration rate and, F325
  renal, hypercalcemia, F490
  renal, sodium reabsorption and, F152
  renal blood flow, after renin depletion, F215

Bicarbonates
  excretion, phosphaturic effect of furosemide, F105
  physiological studies, renal, F291
  reabsorption, renal, acetazolamide effects, F484
  reabsorption, renal, in volume expansion, F484
  sodium transport, bladder (toad), F210
Bioassays
  renal cortical smooth muscle active factor, F84
Bladder: *see* Urinary bladder
Blockade, α-adrenergic
  hemorrhagic shock, F409
  renal function, F409
Blood flow, renal
  angiotensin II effects, F298, F538
  hypercalcemia, F490
  redistribution mechanism, after carotid artery occlusion, F167
  renin depletion, F215
  secretin, F147
  sodium reabsorption, F152

Blood flow, renal (*continued*)
vasopressin clearance, F341
vasopressin-prostaglandin inhibition, F416
Blood flow, renal cortex
antidiuretic hormone, F111
caval constriction, F507
Bone
maturation arrest, after thyroparathyroidectomy, role of calcium, F33

Calcification
developing teeth, autoradiography, F364
Calcium
bone maturation arrest after thyroparathyroidectomy, F33
excretion, terminal nephron, F545
excretion, urinary, regulation, F545
ionized, in hypercalcemia, F490
reabsorption, renal, in hypercalcemia, F490
renin release, F377
Capillaries
glomerular, plasma protein concentration, F58
hydraulic pressure, glomerular plasma protein and, F58
permeability, glomerular plasma protein and, F58
Carbon dioxide
transport, by proximal straight tubule, urinary acidification and, F20
Carbonic anhydrase
phosphaturic effect of furosemide, F105
inhibitors, physiological studies, F291
teleost fishes, F278
volume expansion, F484
Carotid artery
occlusion, intrarenal blood flow redistribution mechanism, F167
Carrier-substrate activity
glucose transport, renal cells (flounder), F227
Catalysis
carbonic anhydrase inhibitors, F291
Catecholamines
albumin effects, F123
plasma, volume expansion and, F123
renal cortical smooth muscle factor responses, F84
saline effects, F123
urinary, volume expansion and, F123
Cations
content, tubular, F42
fatty acid utilization, renal cortex, F254
monovalent, *p*-aminohippurate uptake, renal, F239
Caval constriction: *see* Vena cava
Chloride
excretion, furosemide effects, F397
flux, acetazolamide-sensitive (frog skin), F550
flux, ouabain-sensitive (frog skin), F550
flux, two active transport mechanisms (frog skin), F550
Chloride ions
transport, thin ascending limb of Henle's loop, F348
Circadian rhythms: *see* Rhythms
Cirrhosis, liver
chronic experimental, salt and water retention, F315
Clamping
aortic, during Ringer loading, F92
Clearance: *see* specific substance and site
Collecting ducts: *see* Kidney tubules, collecting
Colloid osmotic pressure: *see* Pressure
Colon
permeability in vitro, F5
potassium secretion, F5
sodium transport, F5
urea permeability, F5
water permeability, F5
Concentrating ability
sodium fluoride effects, F335
Constriction
aortic: *see* Aortic constriction
caval: *see* Vena cava
Corticosterone
secretion, renin-angiotensin system, F434
Countercurrent
sodium, papillary cells, F111
Countercurrent multiplier
electrical potential differences, Henle's loop, F348
Cross-circulation
parabiotic compensatory renal hypertrophy, F405
Current, short-circuit
bladder (toad), F307
bladder responses to theophylline (toad), F173
colonic, amiloride effects, F5
colonic, amphotericin B effects, F5
Cyclic AMP: *see* Adenosine monophosphate, cyclic

Denervation, renal
tubular sodium reabsorption, F16
volume expansion, F26
Deoxycorticosterone hypertension: *see* Hypertension, DOC
2-Deoxy-D-glucose
renal cell transport (flounder), F227
Deoxyribonucleic acid
hypertrophy, renal, parabiotic, F405
Dibutyryl cyclic AMP
vasopressin and, F368
5,5-Dimethyl-2,4-oxazolidinedione
^{14}C-labeled, distribution, as indicator of pH gradient in developing teeth, F364
Diffusion
nonionic, fluoride, F10
Diuresis
denervation, F16
dopamine-induced, mechanism, F524
renal cortical blood flow, F111
renal response (catfish), F278
water, tubular phosphate influx, F159
water, vasopressin-prostaglandin interaction, F416
Diuretic drugs
renal responses (catfish), F278
Dopamine
diuresis, mechanism, F524
diuresis, vasopressin effects, F524
Dopamine-sodium
relationship, in volume expansion, F123
Doppler frequency
urine flow, signal processing system, F471
Drinking
rhythms, renal electrolytes (squirrel monkey), F128

Efferent arterioles
renal, renin depletion, F215
Electrical properties
urinary bladder, F187
Electrolytes
p-aminohippurate uptake, renal, F239
cell, tubular, F42
depletion, furosemide effects, F397
excretion, intrarenal, angiotensin II control, F538
transport, renal, angiotensin II effects, F298
Electron probe
microanalysis, F391
Energy dispersive spectrometry: *see* Spectrometry
Epithelial cells, bladder
plasma membrane potentials (toad), F196
potassium activity (toad), F196
Epithelium
bladder, tight, F187
Extracellular fluid: *see* Fluid
Extracellular volume expansion: *see* Volume expansion
Ethacrynic acid
epithelial cell activity, bladder (toad), F196
Ethoxzolamide
physiological studies, F291

Fatty acids
utilization, cations and, F254
utilization, renal cortex, F254
Feeding
rhythms, renal electrolytes and (squirrel monkey), F128
Ferrocyanide technique
filtration rate, nephron, after anesthesia, F329
Fetus
renal clearance, effect of salt loading, F178
Filtration, glomerular: *see also* Ultrafiltration
angiotensin II, F538
autoregulation, after renin depletion, F215
hypercalcemia, F490
plasma protein concentration, F58
sodium reabsorption, F152
Filtration, nephron
determinants, F477
juxtamedullary, after anesthesia, F329
superficial, after anesthesia, F329
superficial, in mature, growing rat, factors determining, F97
Filtration, single-nephron
after anesthesia, F329
autoregulation and, F325
regulation, F325
renin content, renal, F325
secretin effects, F147
sodium depletion, F325
sodium expansion, F325
Fluid, distal tubular
collection, hydrodynamic alterations, F497
osmolality, F497
technical artifacts, F497
Fluid, extracellular
α-adrenergic blockade, F409
hemorrhagic shock, F409
Fluoride
absorption, bladder, pH dependence, F10
Flux
chloride, bidirectional (frog skin), F550

two active transport mechanisms (frog skin), F550
Freeze-fracture electron microscopy: *see* Microscopy
Furosemide
chloride excretion, F397
electrolyte depletion, F397
glucose handling, renal, F438
hydrogen excretion F397
phosphaturic effects, F105
potassium excretion, F397
potentials, Henle's loop, F348
sodium excretion, F397
volume depletion, F397

Glomerular filtration: *see* Filtration; Ultrafiltration
Glomerular permeability: *see* Permeability
Glomerular pressure: *see* Pressure
Glucocorticoids
metabolic acidosis, F136
Glucose
reabsorption, renal, albumin effects, F286
renal handling, furosemide effects, F438
renal transport, two systems (flounder), F227
sodium transport, bladder (toad), F307
Growth
stimuli, compensatory renal hypertrophy, F405
superficial nephron glomerular filtration rate, F97

Hemodynamics, renal
caval constriction, F507
hemorrhagic shock, F409
hypercalcemia, F490
Hemorrhagic hypotension: *see* Hypotension
Hemorrhagic shock: *see* Shock
Henle's loop
hydrogen excretion, furosemide effects, F397
permeability, F348
sodium chloride transport, F201
sodium excretion, furosemide effects, F397
thin ascending limb, function, F201
thin ascending limb, potential differences, origin, F348
urea transport, F201
urine concentration, F201
Histology
urinary bladder, F187
Hormones
membrane action, urinary bladder (toad), F77
Hydrodynamic alterations
fluid collection, distal tubular, F497
Hydrogen fluoride
absorption, bladder, F10
Hydrogen ion concentration: *see* pH
Hydrogen ions
excretion, furosemide effects, F397
secretion, renal, in mineralocorticoid-deficient, glucocorticoid-replete dogs, F136
Hydronephrosis
compensatory renal hypertrophy, F405
Hydropenia
vasopressin-prostaglandin interaction, F416
Hydrostatic pressure
glomerular: *see* Pressure
Hydroxyapatite
developing teeth, F364
Hypercalcemia
autoregulation, renal, F490
hemodynamics, renal, F490
Hyperkalemia
mineralocorticoid deficiency, F136
Hypertension, DOC
antidiuretic hormone vasopressor role, F260
potassium activity, F260
renal failure, F260
renin activity, F260
sodium activity, F260
stroke, F260
vasopressin activity, F260
Hypertrophy, renal
compensatory, F405
excretory ability, loss, F405
mass loss, F405
nucleic acids. F405
parabiotic, F405
Hypoaldosteronism
mineralocorticoid deficiency, F136
Hyponatremia
tubular electrolytes, F42
Hypotension, hemorrhagic
filtration rate, nephron, after anesthesia, F329
Hypotonic medium
potassium content, tubular, F42
sodium content, tubular, F42

Indomethacin
vasopressin action, F529
water excretion, F529
Insulin
sodium transport, bladder (toad), F270, F307
Interstitial pressure: *see* Pressure
Inulin
^{14}C-labeled, fluoride absorption studies, bladder, F10
labeled, water distribution indicator, developing teeth, F358
Ion pump
skin (frog), F550
Ions
inorganic, *p*-aminohippurate uptake, renal, F239
selectivity, proximal tubule, F20
Isoproterenol
renin stimulation, isolated perfused kidney, F248

Kidney
acid excretion, parathyroid hormone effects, F429
adrenergic receptors, renin release, F248
p-aminohippurate uptake, F239
autoregulation, filtration rate and, F325
autoregulatory responses to hypercalcemia, F490
baroreceptors, renin release, F248
bicarbonate, physiological studies, F291
bicarbonate reabsorption, acetazolamide effects, F484
bicarbonate reabsorption, volume expansion, F484
bicarbonate transport, F20
blood flow: *see* Blood flow
calcium reabsorption, hypercalcemia, F490
denervated, extracellular volume expansion, F26
denervated, tubular sodium reabsorption, F16
diuretic drugs, effects (catfish), F278
efferent arterioles, renin depletion, F215
electrolyte excretion, angiotensin II effects, F538
electrolyte transport, angiotensin II effects, F298
electrolytes, circadian rhythms (squirrel monkey), F128
excretory ability, hypertrophy, F405
failure, DOC hypertension, F260
fluoride transport, pH dependence, F10
glucose reabsorption, albumin infusion effects, F286
hemodynamics, caval constriction, F507
hemodynamics, hypercalcemia, F490
Henle's loop: *see* Henle's loop
hypercalcemia, F490
hypertrophy: *see* Hypertrophy
mass, loss, in hypertrophy, F405
nephron: *see* Nephron; Filtration
phosphate flux, peritubular to luminal, F159
potassium excretion, angiotensin II effects, F298
probenecid accumulation, F513
prostaglandin inhibition, vasopressin effects, F416
renin: *see* Renin
salt loading, renal clearance studies, F178
salt retention, cirrhosis, F315
sodium chloride transport, F201
sodium reabsorption, angiotensin II effects, F298
sugar transport, antiluminal membrane, F455
sympathetic nerves, blood flow redistribution after carotid occlusion, F167
urea transport, F201
urine concentration, F201
vascular resistance, renin depletion, F215
vasopressin clearance, with reduced blood flow, F341
vasopressin-prostaglandin interaction, F416
volume expansion: *see* Volume expansion
water retention, cirrhosis, F315
Kidney cells
basal cell membrane, glucose transport (flounder), F227
glucose transport, specificity (flounder), F227
glucose transport, two systems (flounder), F227
sugar phosphorylation (flounder), F227
sugar transport (flounder), F227
Kidney, clearance: *see also* specific substance
fetus, F178
maturation, F178
neonatal, F178
phosphaturic effect of furosemide, F105
salt loading effects, F178
secretin effects, F147
Kidney cortex
blood flow: *see* Blood flow
lipid compartments, F254
organic anion transport, F513
palmitic acid utilization, potassium

Kidney cortex (*continued*)
effects, F254
probenecid accumulation, F513
smooth muscle active factor, F85
Kidney function
α-adrenergic blockade, F409
maturation, F178
hemorrhagic shock, F409
Kidney medulla
protein kinase regulation by vasopressin (bovine), F50
thin ascending limb of Henle and, F201
Kidney tubules
acidosis: *see* Acidosis
p-aminohippurate movement between lumen and cells, F424
p-aminohippurate transit time, F424
angiotensin II handling, F319
choline transport, competitor potency (chicken), F443
glucose transport, furosemide effects, F438
oxytocin handling, F319
tetraethylammonium transport, competitor potency (chicken), F443
transport capacity, competitive inhibition (chicken), F443
vasopressin effects, F341
water permeability, angiotensin II effects, F298
Kidney tubules, collecting
cyclic AMP in action of antidiuretic hormone, F368
sodium transport, prostaglandin effects, F383
volume expansion natriuresis, F566
Kidney tubules, distal
fluid collection, hydrodynamic alterations, F497
pressure-flow relationships, F497
superficial, volume expansion natriuresis, F566
Kidney tubules, proximal
carbon dioxide transport, urinary acidification and, F20
filtration rate regulation, F325
glucose transport, albumin infusion effects, F286
phosphate flux, microinjection studies, F159
phosphate secretion, absence of, F235
reabsorption, aortic clamping, F92
sodium excretion, aortic clamping effects, F92
sodium fluxes (*Necturus*), F461
sodium reabsorption, denervation effects, F16
sodium transport, albumin infusion effects, F286
sugar interaction with antiluminal surface, F455
Kidney tubules, proximal straight
cation content, F42
cell electrolytes, F42
heterogeneity, functional F20
intracellular volume, F42
potassium content, hypotonic medium effects, F42
sodium content, hypotonic medium effects, F42

Lipids
renal cortex compartments, F254
Liver
cirrhosis, chronic experimental, salt and water retention, F315

Macula densa
receptors, renin release, F248
Magnesium
bone maturation arrest after thyroparathyroidectomy, F33
renin release, F377
D-Mannose
renal cell transport (flounder), F227
Maturation
functional, renal clearance studies, F178
Maturity
superficial nephron filtration, F97
Membrane permeability: *see* Permeability
Membrane transport: *see* specific site or substance
Membranes
structure and transport physiology, freeze-fracture electron microscopy, bladder (toad), F77
Metabolic acidosis: *see* Acidosis
Metabolic alkalosis: *see* Alkalosis
Methazolamide
physiological studies, F291
Methyl-α-D-glucoside
renal cell transport (flounder), F227
1-Methyl-3-isobutylxanthine
vasopressin and, F368
Microanalysis
electron probe, F391
Microdissection studies
filtration rate, nephron, after anesthesia, F329
Microinjection studies
glucose handling, furosemide effects, F438
phosphate flux, peritubular to luminal, renal, F159
Microperfusion studies
phosphate flux, proximal convoluted tubule, F235
Micropuncture studies
aortic clamping, effects on proximal reabsorption and sodium excretion, F92
calcium excretion, urinary, F545
filtration rate regulation, F325
fluid, distal tubular, hydrodynamic alterations, F497
renal denervation in volume expansion, F26
Microscopy, electron
freeze-fracture, relationship of membrane structure to transport physiology, F77
Microspheres: *see* Radionuclide studies
Mineralocorticoids
deficiency, in metabolic acidosis, F136
Models
sodium transport, bladder, F187
Muscle, smooth
active factor, renal cortical, F84

Natriuresis
caval constriction, F507
denervation, F16
dopamine effects, F524
nephron function, F566
renal response to diuretic drugs (catfish), F278
secretin effects, F147
volume expansion, F566
Nephrectomy, bilateral
aldosterone secretion, F434
renin-angiotensin system, F434
Nephron
filtration: *see* Filtration
function, volume, expansion, F566
heterogeneity, F159
isolated perfused, angiotensin II handling, F319
isolated perfused, oxytocin handling, F319
medullary, sodium transport, prostaglandin effects, F383
plasma flow, determinants, F477
terminal, calcium excretion, urinary, F545
thick ascending limb, sodium transport, prostaglandin effects, F383
Newborn
renal clearance, effect of salt loading, F178
Normoglycemia
furosemide effects, F438
Nucleic acids
hypertrophy, renal, F405
Nystatin
bladder function, F187

Occlusion
carotid artery, intrarenal blood flow redistribution mechanism, F167
Organic acids
transport, probenecid uricosuria, F222
Osmolality
fluid, distal tubular, F497
Ouabain
p-aminohippurate uptake, renal, F239
chloride flux mechanisms (frog skin), F550
epithelial cell activity, bladder (toad), F196
potentials, Henle's loop, F348
sodium and potassium, tubular activity, F42
sodium-potassium-ATPase-dependent sodium reabsorption, F152
Oxygen consumption
renal, sodium reabsorption and, F152
Oxygen requirement
renal sodium-potassium-ATPase-dependent sodium reabsorption, F152
Oxytocin
degradation, renal tubules, F319
handling, renal tubules, F319

P13
renal cortical smooth muscle active factor responses, F84
Palmitic acid
utilization, renal cortex, potassium effects, F254
Papillary cells
composition and volume, effect of sodium chloride, F111
Parabiosis
hypertrophy, renal, F405
Parathyroid hormone
acid excretion, renal, F429
phosphate secretory flux, proximal tubule, F235
phosphaturic effect of furosemide, F105
urinary acidification, F429
Particle aggregation
intramembrane, bladder (toad), F77
Permeability
colon, in vitro, F5
glomerular capillaries, plasma protein and, F58
glomerular, determinants, F477

glomerular, growth effects, F97
Henle's loop, F348
sodium, proximal tubule (*Necturus*), F461
water: *see* Water permeability
pH
fluoride absorption and, F10
gradients, developing teeth, autoradiography, F364
Phenoxybenzamine
renal cortical smooth muscle active factor response, F84
renal function, hemorrhagic shock, F409
Phloretin
glucose transport, renal cells (flounder), F227
Phlorizin
glucose transport, renal cells (flounder), F227
Phosphate
excretion, acetazolamide effects, F484
excretion, furosemide effects, F105
flux, secretory, proximal convoluted tubule, F235
flux, peritubular to luminal, F159
polyphloretic, renal cortical smooth muscle active factor responses, F84
Phosphaturia
furosemide effects, F105
Phosphodiesterase, cyclic AMP
prostaglandin inhibitors and, F529
vasopressin and, F368
Phosphorylation
renal cells (flounder), F227
Plasma: *see also* specific constituents
Plasma flow
glomerular, protein concentration and, F58
nephron, determinants, F477
Plasma membrane
potentials, epithelial cells, bladder (toad), F196
Potassium: *see also* Sodium-potassium-ATPase
activity, DOC hypertension, F260
activity bladder epithelial cells (toad), F196
bladder responses to theophylline (toad), F173
content, proximal tubules, hypotonic medium effects, F42
equilibrium potential, epithelial cells, bladder (toad), F196
insulin-mediated sodium transport response, bladder (toad), F270
mineralocorticoid deficiency, F136
palmitic acid utilization, renal cortex, F254
secretion, colon, F5
urinary, renal electrolyte circadian rhythms (squirrel monkey), F128
Potassium excretion
α-adrenergic blockade, F409
angiotensin II effects, renal, F298
furosemide effects, F397
hemorrhagic shock, F409
Potential difference
origin, in thin ascending limbs of Henle's loop, F348
Potentials
plasma membrane, bladder epithelial cells (toad), F196
potassium equilibrium, bladder epithelial cells (toad), F196
Pressure
colloid osmotic, glomerular plasma protein effects, F58
glomerular hydrostatic, determinants, F477
glomerular hydrostatic, growth effects, F97
interstitial, secretin effects, F147
perfusion, renal, renin release, F377
Pressure-flow relations
distal tubular, F497
Probenecid
accumulation, renal cortex, F513
p-aminohippurate tubular transit, F424
binding, renal cortex, F513
transport, renal cortex, F513
uricosuria: *see* Uricosuria
Propranolol
renin release and, F248
Prostaglandin antagonists
renal cortical smooth muscle active factor responses, F84
Prostaglandin E_1
epithelial cell activity, bladder (toad), F196
Prostaglandin inhibitors
sodium transport, medullary nephron, F383
Prostaglandins
inhibition, vasopressin action, F529
inhibition, vasopressin-induced renal response, F416
renal cortical smooth muscle factor responses, F84
sodium transport, medullary nephron segment, F383
Protein
concentration, plasma, in glomerular ultrafiltration, F58
synthesis, bladder (toad), F307
Protein kinase
regulation by vasopressin, renal medulla (bovine), F50
vasopressin effects, F368
Pumps
ion (frog skin), F550
sodium, driving force, dependence on transport rate (toad), F448
Pyrazinamide
probenecid uricosuria inhibition, F222
Pyruvate
sodium transport, bladder (toad), F307

Radionuclide studies
blood flow, intrarenal, redistribution after carotid artery occlusion, F167
blood flow, renal cortical, antidiuretic hormone effects, F111
fluoride absorption, bladder, F10
palmitic acid utilization, renal cortex, F254
sodium fluxes, proximal tubule (*Necturus*), F461
water compartments, developing teeth, F358
Reabsorption: *see* specific substance and site
Receptors
adrenergic, renal, renin release, F248
baroreceptors, renal, renin release, F248
macula densa, renin release, F248
Renal blood flow: *see* Blood flow
Renal cortex, medulla, tubules: *see* Kidney
Renal nerves
denervation: *see* Kidney, denervated
Renin
activity, DOC hypertension, F260
activity, plasma, caval constriction, F559
content, renal, filtration rate, F325
isoproterenol stimulation, in isolated perfused kidney, F248
theophylline stimulation, in isolated perfused kidney, F248
Renin depletion
blood flow, renal, autoregulation, F215
efferent arterioles, F215
glomerular filtration rate, autoregulation, F215
vascular resistance, renal, F215
Renin release
adrenergic receptors, renal, F248
baroreceptors, renal, F248
calcium effects, F377
macula densa receptors, F248
magnesium effects, F377
perfusion pressure, renal, F377
sodium intake, F377
Renin-angiotensin system
aldosterone secretion during aortic constriction, F434
blood flow, renal, autoregulation, F215
Renin-angiotensin-aldosterone system
caval constriction, F559
glomerular filtration rate, autoregulation, F215
Resistance-capacitance
lattice network, F471
Resistance, vascular
renal, renin depletion, F215
Rhythms
activity, renal electrolytes (squirrel monkey), F128
circadian, renal electrolytes, independence from feeding and activity patterns (squirrel monkey), F128
drinking, renal electrolytes (squirrel monkey), F128
feeding, renal electrolytes (squirrel monkey), F128
Ribonucleic acid
hypertrophy, renal, parabiotic, F405
Ringer loading
aortic clamping during, F92
Rotenone
epithelial cell activity, bladder (toad), F196
Rubidium
palmitic acid utilization, renal cortex, F254

Saline
catecholamine responses, F123
expansion: *see* Volume expansion
loading, calcium excretion, urinary, F545
loading, filtration rate, after anesthesia, F329
Salt loading
renal clearance studies, F178
Salt retention
ascites, F315
caval constriction, F507
cirrhosis, experimental, F315
SC 19220
renal cortical smooth muscle active factor responses, F84
Secretin
blood flow, renal, F147

Secretin (*continued*)
interstitial pressure, F147
natriuresis, F147
sodium excretion, F147
Shock, hemorrhagic
α-adrenergic blockade, F409
renal function, F409
Short-circuit current: *see* Current
Shunt pathway
sodium flux, F461
Signal-processing system
ultrasonic measurement of urine flow parameters, F471
Skin
flux, two active transport mechanisms (frog), F550
Sodium
activity, DOC hypertension, F260
content, proximal tubules, hypotonic medium effects, F42
intake, renin release, F377
permeability, proximal tubule (*Necturus*), F461
pump, driving force, dependence on transport rate (toad), F448
volume expansion; *see* Volume expansion
Sodium chloride
papillary cell composition and volume, F111
transport, thin ascending limb of Henle, F201
Sodium depletion
filtration rate, regulation, F325
angiotensin II, F538
Sodium excretion
α-adrenergic blockade, F409
angiotensin II, F298, F538
aortic clamping, F92
caval constriction, F507
electrolyte circadian rhythms, renal (squirrel monkey), F128
furosemide, F397
hemorrhagic shock, F409
nephron function, F566
secretin, F147
superficial late distal tubule, F566
volume expansion, F566
Sodium fluoride
concentrating ability and, F335
diluting ability and, F335
Sodium fluxes
proximal tubule (*Necturus*), F461
ratio, F461
shunt pathway, F461
Sodium-potassium-ATPase
sodium reabsorption, oxygen requirement, F152
Sodium reabsorption
angiotensin II-stimulated, renal, F298
denervation, renal, F16, F26
Na-K-ATPase-dependent, renal, F152
oxygen requirement, renal, F152
tubular, after denervation, F16
volume expansion, F26
Sodium retention
caval constriction, F559
renin-angiotensin-aldosterone system, F559
Sodium transport
acetazolamide, bladder (toad), F210
antidiuretic hormone, bladder (toad), F307
bicarbonate ions, bladder (toad), F210
bladder, F173, F187, F210, F270, F307
colon, F5
cyclic AMP, bladder (toad), F307
epithelia, tight, F187
glucose, bladder (toad), F307
insulin, bladder (toad), F270, F307
pyruvate, bladder (toad), F307
substrate dependence, bladder (toad), F307
sodium pump driving force (toad), F448
theophylline, bladder (toad), F173
Sperber technique
tubular transport capacity (chicken), F443
Spectrometry
energy dispersive, F391
wavelength dispersive, F391
x-ray, F391
Starling forces
secretin effects, F147
Steroids
secretion, renin-angiotensin system, F434
Stroke
DOC hypertension, F260
Smooth muscle: *see* Muscle, smooth
Sugar
interaction with antiluminal surface of proximal tubule, F455
phosphorylation, renal cells (flounder), F227
transport, antiluminal surface, renal, F455
transport, renal (flounder), F227
Sympathetic nerves
renal, blood flow redistribution after carotid occlusion, F167
Synchronization: *see also* Rhythms
internal, renal electrolytes (squirrel monkey), F128

Teeth, developing
calcification, F364
pH gradients, F364
water compartments, F358
Tetraethylammonium
competitive inhibition, renal (chicken), F443
transport maximum, renal (chicken), F443
transport rate, renal (chicken), F443
Theophylline
bladder responses, effect of potassium (toad), F173
renin stimulation, in isolated perfused kidney, F248
Thyroparathyroidectomy
bone maturation arrest, role of calcium, F33
calcium excretion, urinary, F545
phosphate secretory flux, proximal tubule, F235
phosphaturic effect of furosemide, F105
Tracers: *see* Radionuclide studies
Transport: *see* specific site or substance

Ultrafiltration, glomerular
dynamics, plasma protein concentration, F58
growth effects, F97
Ultramicroanalysis
review, F391
Ultrasonic measurement
signal-processing system, F471
urine flow parameters, F471
Urate
reabsorption, probenecid uricosuria, F222
secretion, probenecid uricosuria, F222
Urea
labeled, water distribution indicator, developing teeth, F358
permeability, colon, F5
transport, thin ascending limb of Henle, F201
Uremia
compensatory renal hypertrophy, F405
Ureteral obstruction
compensatory renal hypertrophy, F405
Uricosuria, probenecid
p-aminohippurate inhibition, F222
organic acid transport, F222
pyrazinamide inhibition, F222
urate reabsorption, F222
urate secretion, F222
Urinary acidification: *see* Acidification
Urinary bladder
electrical properties, F187
epithelium, tight, F187
fluoride absorption, pH dependence, F10
function, review, F187
histology, F187
membrane structure and transport physiology, freeze-fracture electron microscopic studies (toad), F77
Nystatin effects, F187
particle aggregation, intramembrane (toad), F77
plasma membrane potentials, epithelial cells (toad), F196
potassium activity, epithelial cells (toad), F196
protein synthesis (toad), F307
short-circuit current (toad), F307
sodium transport, F187
sodium transport (toad), F210, F270, F307
theophylline responses, effect of potassium (toad), F173
transport properties, F187
Urinary concentration
mechanisms, renal cortical blood flow and, F111
prostaglandin synthesis inhibition, F529
thin ascending limb of Henle, F201
vasopressin action, F529
Urinary excretion: *see also* specific substance
α-adrenergic blockade, F409
hemorrhagic shock, F409
Urine
hypertonic, formation in thin ascending limb of Henle's loop, F348
Urine flow
average frequency circuit, F471
Doppler frequency, F471
transcutaneous diagnosis, F471
ultrasonic measurement, signal-processing system, F471
ultrasonic scattering, F471

Vasodilation
renal, secretin effects, F147
Vasopressin: *see also* Antidiuretic hormone
bladder responses (toad), F173
blood flow, renal cortical, F111
clearance, renal, with reduced blood flow, F341
concentrating ability and, F335
cyclic AMP analogue and, F368
cyclic AMP phosphodiesterase and, F368
DOC hypertension, F260
dopamine-induced diuresis, F524

membrane transport physiology, bladder (toad), F77
1-methyl-3-isobutylxanthine action, F368
prostaglandin synthesis inhibition, F529
prostaglandin inhibition, renal response, F416
protein kinase action, F368
protein kinase regulation, renal medulla (bovine), F50
Vasopressors
antidiuretic hormone, DOC hypertension, F260
Vena cava, constriction
hemodynamics, intrarenal, F507
renin-angiotensin-aldosterone system, F559
sodium excretion, F507
Volume
depletion, furosemide effects, F397
intracellular, proximal tubules, F42
Volume expansion
albumin, F123
aortic clamping, F92
bicarbonate reabsorption, kidney, F484
carbonic anhydrase, F484
extracellular, renal denervation, F26
furosemide effects, F438
natriuresis, F566
nephron function, F566
saline, renal clearance in, F178
sodium, F123
sodium excretion, F566
sodium, filtration rate, regulation, F325
sodium reabsorption, F26
superficial late distal tubule and, F566

Water
compartments, in developing teeth, F358
diuresis: *see* Diuresis
osmotic flow, bladder, theophylline effect (toad), F173
Water clearance
α-adrenergic blockade, F409
dopamine effects, F524
hemorrhagic shock, F409
sodium fluoride effects. F335
Water excretion
prostaglandin synthetase inhibitors, F529
renal electrolyte circadian rhythms (squirrel monkey), F128
vasopressin action, F529
Water permeability
angiotensin II effects, renal, F298
collecting tubules, F368
colon, F5
cyclic AMP action, F368
vasopressin action, F368
Water retention, kidney
ascites, F315
experimental cirrhosis, F315
Wavelength dispersive spectrometry: *see* Spectrometry
Work hypothesis
compensatory renal hypertrophy, F405

X-ray spectrometry: *see* Spectrometry

Author Index to Volume 1

Abe, H., F196
Acara, M., F443
Agus, Z. S., F545
Albright, R. J., F471
Alexander, E. A., F566
Allison, M. E. M., F497
Andreoli, T. E., F3
Arai, S., F16
Arruda, J. A. L., F429

Baldwin, G., F550
Barnes, L. D., F50, F368
Baylis, C., F58
Bell, P. D., F490
Bello-Reuss, E., F26
Bengele, H. H., F566
Bentley, P. J., F5
Berjal, G., F329
Berl, T., F529
Blantz, R. C., F97, F477
Bonvalet, J. P., F329
Boonjarern, S., F438
Bosch, J. P., F397
Boumendil-Podevin, E. F., F239
Brenner, B. M., F58
Brown, C. B., F84
Burg, M. B., F20
Burke, T. J., F325
Burnell, J. M., F33
Buu, N. T., F123

Cadnapaphornchai, P., F524
Caron, C., F484
Carone, F. A., F319
Champion, M., F329
Chen, J. S., F210
Chiu, P. J. S., F545
Chomdej, B., F490
Cole, B. R., F42
Coleman, B., F409
Colindres, R. E., F26, F497
Cowley, A. W., Jr., F215, F538
Cox, M., F270
Crumb, C. K., F507
Czaczkes, W., F529

Davis, J. O., F434, F559
Dellasega, M., F42
De Rouffignac, C., F185
Diamond, H. S., F222
DiBona, G. F., F167
DiScala, V. A., F77
Dousa, T. P., F50, F368
Drum, D. E., F84
Dubyak, G. R., F227

Earnest, W. R., F438
Eknoyan, G., F507

Farr, B. M., F72
Faucheux, B., F123
Feig, P. U., F448
Feigen, L. P., F409
Fejes-Tóth, G., F416
Fine, L. G., F383
Fishman, A. P., F1
Flasterstein, A. H., F507
Flouret, G., F319
Foulkes, E. C., F424
Fray, J. C. S., F377
Frazier, H. S., F448
Freeman, R. H., F434

Giebisch, G., F461
Glaviano, V. V., F409
Glor, M., F443
Goldberg, M., F545
Goldstein, M. H., F397
Gottschalk, C. W., F497
Grantham, J. J., F42
Greger, R. F., F105, F147, F235
Griffin, P. M., F227
Guyton, A. C., F72, F215, F538

Haeck, D., F260
Haas, J. A. F105, F325
Hall, D. A., F368
Hall, J. E., F72, F215, F538
Hanson, R. C., F559
Harbottle, J. A., F136
Hattori, N., F16
Hebert, C. S., F507
Heinemann, H. O., F254
Herd, J. A., F128
Hernando, L., F315
Hollenberg, N. K., F84
Horowitz, J., F529
Hulter, H. N., F136

Ichikawa, I., F58
Ilnicki, L. P., F136
Imai, M., F201

Jobin, J., F484
Johnson, M. D., F111, F298
Jessee, S. D., F550

Kachadorian, W. A., F77
Kahn, T., F397
Kaplan, R. A., F335
Kawamura, J., F286
Kiil, F., F152
Kimura, G., F196
Klahr, S., F307
Kleinzeller, A., F227
Knox, F. G., F105, F147, F235, F325
Korn, D., F33
Kramp, R. A., F497
Kuchel, O., F123
Kurtzman, N. A., F429, F438

Lameire, N. H., F92
Lang, F. C., F105, F147, F235
Larson, M. V., F105
Laski, M. E., F438
Lechene, C. P., F235, F391
Levitt, M. F., F397
Lewis, S. A., F187
Lohmeier, T. E., F538, F559
Lopez-Novoa, J. M., F315
Lowe, C. M., F42
Lubowitz, H., F286
Lupu, A. N., F248
Lyman, G. E., F358, F364

Magyar, A., F416
Malt, R. A., F405
Malvin, R. L., F111, F298
Marchand, G. R., F105, F147, F325
Maren, T. H., F291
Marsh, D. J., F348
Martin, C. M., F348
Martinez-Maldonado, M., F507
Mathisen, O., F152
Maxwell, M. H., F248
Mazumdar, D. C., F286
McAvoy, E. M., F227
McCaa, R. E., F538
McDonald, F. D., F524
McLane, L. A., F159
McNamara, E. R., F566
Mehta, P. K., F438
Meisel, A. D., F222
Mendoza, S. A., F173
Merlet-Benichou, C., F185
Miki, S., F196
Miller, A., F33
Minuth, A. N., F507
Möhring, B., F260
Möhring, J., F260
Moore-Ede, M. C., F128
Morgan, T., F117
Mullin, J. M., F227

Nakamoto, K. K., F173
Nascimento, L., F429
Navar, L. G., F490
Nawar, T., F484
Nishimura, H., F278
Nomura, G., F16

Obertop, H., F405
Oparil, S., F319
Orita, Y., F196
Osgood, R. W., F92
Ott, C. E., F147

Park, C. S., F111
Pashley, D. H., F10
Pastoriza-Muñoz, E., F26
Peterson, D. R., F319
Peterson, J. R., F471
Petri, M., F260
Plante, G. E., F484
Podevin, R. A., F239
Prosnitz, E. H., F167

Raz, A., F529
Rengel, M. A., F315
Rennick, B., F443
Reynolds, K. E., F10
Rittmaster, R., F227
Rodicio, J. L., F315
Romero, J. C., F325
Rosenfeld, S., F248

Schneider, E. G., F159
Sebastian, A., F136
Sejersted, O. M., F152
Shade, R. E., F341
Share, L., F341
Sheikh, M. I., F513
Shimao, M., F16
Silverman, M., F455
Singer, I., F270
Sinha, S., F307
Sorkin, M. I., F92
Spielman, W. S., F434
Spring, K. R., F461
Stahl, M., F513
Stein, J. H., F92
Suki, W. N., F507

Taher, S. M., F524
Takabatake, T., F16
Takamitsu, Y., F196
Teubner, E., F33
Trippodo, N. C., F538
Trizna, W., F383
Tucker, B. J., F97, F477

Uno, D., F16
Urakabe, S., F196

Viskoper, R. J., F248

Waddell, W. J., F358, F364
Wade, J. B., F77
Wagner, M. E., F254
Wald, H., F529
Wallin, J. D., F335
Walser, M., F210
Walter, J., F416
Wanstok, F., F329
Warnock, D. G., F20
Watlington, C. O., F550
Westenfelder, C., F429
Wetzel, G. D., F448
Whitford, G. M., F10
Wiesmann, W. P., F307
Williams, G. M., F559
Willis, W. T., F58
Wilson, C. B., F58

Yorio, T., F5
Yuasa, S., F196

Zambraski, E. J., F167

American Journal of Physiology: Renal, Fluid and Electrolyte Physiology

VOLUME 1, January–June 1977

Editor: T. E. ANDREOLI

Associate Editors: J. J. GRANTHAM, F. S. WRIGHT

Editorial Board:
E. L. J. B. BOULPAEP
J. J. COHEN
T. P. DOUSA
J. S. HANDLER
F. G. KNOX
W. E. LASSITER
R. L. MALVIN
C. S. PATLAK
F. C. RECTOR, JR.
R. W. SCHRIER

Publications Committee of the American Physiological Society

A. P. FISHMAN, *Chairman*
R. W. BERLINER
R. M. BERNE

S. R. GEIGER
Publications Manager and Executive Editor

B. B. RAUNER
Managerial Assistant

W. A. SONNENBERG
Business Manager

A. RAEFSKY
Copy Editor

Published monthly by
THE AMERICAN PHYSIOLOGICAL SOCIETY
9650 Rockville Pike, Bethesda, Md. 20014

COPYRIGHT © 1977 BY
THE AMERICAN PHYSIOLOGICAL SOCIETY, INC.

PRINTED IN THE UNITED STATES OF AMERICA
BY WAVERLY PRESS, INC., BALTIMORE, MARYLAND 21202

Guest Referee Editors

The Publications Committee of the American Physiological Society gratefully acknowledges the services of the following guest referee editors who assisted the Editorial Board in the reviews of manuscripts.

R. G. Abramson
S. Adler
E. A. Alexander
A. C. Alfrey
G. A. O. Alleyne
C. Amiel
O. Andersen
B. Andersson
W. J. Arendshorst
L. V. Avioli
M. Barac
L. Barajas
S. B. Baruch
R. Beeuwkes III
C. Bennett
P. J. Bentley
C. J. Bentzel
T. Berl
R. W. Berliner
C. Berry
R. Blantz
J. J. Bourgoignie
J. Boylan
S. E. Bradley
B. M. Brenner
E. H. Bresler
N. S. Bricker
W. A. Brodsky
M. G. Brunette
V. M. Buckalew
F. M. Bumpus
M. B. Burg
T. J. Burke
L. Cabantchik
F. A. Carone
N. Carter
A. M. Chonko
M. M. Civan
R. L. Clancy
Jordan J. Cohen
R. E. Colindres
J. D. Conger
L. Costanzo
W. H. Dantzler
J. O. Davis
W. M. Deen
V. W. Dennis
C. de Rouffignac
J. M. Diamond
G. F. DiBona
J. Diezi
J. H. Dirks
T. DuBose
M. F. Dunn
L. E. Earley
I. S. Edelman
F. H. Epstein
M. Epstein
A. Essig
D. D. Fanestil
T. F. Ferris
E. O. Fiegl
M. Field
L. G. Fine
A. L. Finn
J. T. Fitzsimons
W. Flamenbaum
R. Forster
E. C. Foulkes
E. D. Frolich
F. J. Gennari
G. Giebisch
J. P. Gilmore
M. Goldberg
L. Goldstein
C. W. Gottschalk
R. B. Gunn
A. C. Guyton
D. A. Hall
J. Halsey, Jr.
R. M. Hays
J. P. Hayslett
S. I. Helman
J. A. Herd
K. Hierholzer
B. Hirschowitz
G. M. Hochwald
J. H. Hoffman
J. B. Hook
U. Hopfer
S. Howards
B. G. Hudson
R. L. Jamison
P. Johnston
T. Kahn
E. Kass
A. I. Katz
N. A. Kefalides
L. B. Kirschner
S. Klahr
C. R. Kleeman
A. Kleinzeller
H. Knauf
J. P. Knochel
J. Kokko
L. R. Krakoff
S. Krasne
R. T. Kunau
N. A. Kurtzman
P. Lambert
N. Lameire
J. H. Laragh
H. D. Lauson
A. Leaf
C. P. Lechene
J. Lemann
D. Z. Levine
N. G. Levinsky
M. Levy
J. E. Lewy
B. Lindley
W. S. Long
L. Lowenstein
T. Maack
K. M. MacDonald
R. I. Macey
R. H. Maffly
R. A. Malt
L. J. Mandel
T. H. Maren
D. J. Marsh
M. Martinez-Maldonado
S. G. Massry
J. L. McNay
A. Meister
J. C. Melby
C. Miller
F. Morel
G. H. Mudge
P. J. Mulrow
L. G. Navar
J. A. Oates
S. Oparil
D. W. Ploth
G. A. Porter
H. G. Preuss
J. Puschett
L. Rabinowitz
W. S. Rehm
E. M. Renkin
B. R. Rennick
D. H. Riddick
G. L. Robertson
A. Roos
S. Rostand
G. Sachs
R. Safirstein
J. A. Schafer
P. R. Schloerb
B. Schmidt-Nielson
K. Schmidt-Nielson
C. Schneyer
E. G. Schneider
J. Schnermann
S. G. Schultz
J. F. Seely
D. W. Seldin
E. E. Selkurt
D. W. Shoeman
M. Silverman
I. Singer
E. Slatopolsky
S. Soloman
H. Sonnenberg
A. Spitzer
K. R. Spring
T. H. Steele
J. H. Stein
B. J. Steinbaugh
P. R. Steinmetz
J. L. Stephenson
L. C. Stoner
W. Suki
L. P. Sullivan
J. V. Taggart
G. Tanner
S. O. Thier
C. C. Tisher
L. Tobian
M. Tosteson
C. Ulrich
C. Vaamonde
H. Valtin
A. J. Vander
J. L. Walker, Jr.
M. Walser
R. Walter
D. G. Warnock
I. M. Weiner
S. W. Weinstein
D. J. Welling
L. Welling
S. Wen
H. E. Williamson
E. E. Windhager
E. M. Wright
W. E. Yarger
J. A. Young
B. W. Zweifach

American Journal of Physiology: Renal, Fluid and Electrolyte Physiology

No. 1 JANUARY 1977

PERSPECTIVE

A. P. Fishman F1

EDITORIAL

Some comments about a new venture
T. E. Andreoli F3

Permeability of the rabbit colon in vitro
T. Yorio and P. J. Bentley F5

Fluoride absorption from the rat urinary bladder: a pH-dependent event
G. M. Whitford, D. H. Pashley, and K. E. Reynolds F10

Effect of acute unilateral renal denervation on tubular sodium reabsorption in the dog
G. Nomura, T. Takabatake, S. Arai, D. Uno, M. Shimao, and N. Hattori F16

Urinary acidification: CO_2 transport by the rabbit proximal straight tubule
D. G. Warnock and M. B. Burg F20

Acute unilateral renal denervation in rats with extracellular volume expansion
E. Bello-Reuss, E. Pastoriza-Muñoz, and R. E. Colindres F26

Role of calcium in bone maturation arrest after thyroparathyroidectomy in the rat
J. M. Burnell, E. Teubner, D. Korn, and A. Miller F33

Effect of hypotonic medium on K and Na content of proximal renal tubules
J. J. Grantham, C. M. Lowe, M. Dellasega, and B. R. Cole F42

Regulation of protein kinase by vasopressin in renal medulla in situ
T. P. Dousa and L. D. Barnes F50

Dynamics of glomerular ultrafiltration. IX. Effects of plasma protein concentration
C. Baylis, I. Ichikawa, W. T. Willis, C. B. Wilson, and B. M. Brenner F58

SPECIAL COMMUNICATIONS

A single-injection method for measuring glomerular filtration rate
J. E. Hall, A. C. Guyton, and B. M. Farr F72

No. 2 FEBRUARY 1977

EDITORIAL REVIEW

Freeze-fracture electron microscopy: relationship of membrane structural features to transport physiology
J. B. Wade, W. A. Kachadorian, and V. A. DiScala F77

A smooth muscle active factor isolated from renal cortex of the rabbit
C. B. Brown, D. E. Drum, and N. K. Hollenberg F84

Effect of aortic clamping on proximal reabsorption and sodium excretion in the rat
R. W. Osgood, N. H. Lameire, M. I. Sorkin, and J. H. Stein F92

Factors determining superficial nephron filtration in the mature, growing rat
B. J. Tucker and R. C. Blantz F97

Phosphaturic effect of furosemide: role of PTH and carbonic anhydrase
J. A. Haas, M. V. Larson, G. R. Marchand, F. C. Lang, R. F. Greger, and F. G. Knox F105

Antidiuretic hormone and the distribution of renal cortical blood flow
M. D. Johnson, C. S. Park, and R. L. Malvin F111

Effect of NaCl on composition and volume of cells of the rat papilla
T. Morgan F117

Effects of saline and albumin on plasma and urinary catecholamines in dogs
B. Faucheux, N. T. Buu, and O. Kuchel F123

Renal electrolyte circadian rhythms: independence from feeding and activity patterns
M. C. Moore-Ede and J. A. Herd F128

Impaired renal H^+ secretion and NH_3 production in mineralocorticoid-deficient glucocorticoid-replete dogs
H. N. Hulter, L. P. Ilnicki, J. A. Harbottle, and A. Sebastian F136

Effect of secretin on renal blood flow, interstitial pressure, and sodium excretion
G. R. Marchand, C. E. Ott, F. C. Lang, R. F. Greger, and F. G. Knox F147

Oxygen requirement of renal Na-K-ATPase-dependent sodium reabsorption
O. M. Sejersted, Ø. Mathisen, and F. Kiil F152

Evidence for a peritubular-to-luminal flux of phosphate in the dog kidney
E. G. Schneider and L. A. McLane F159

Mechanism of intrarenal blood flow redistribution after carotid artery occlusion
E. H. Prosnitz, E. J. Zambraski, and G. F. DiBona F167

Effects of high potassium concentration on theophylline responses of toad bladder
S. A. Mendoza and K. K. Nakamoto F173

Renal clearance studies in fetal and young guinea pigs: effect of salt loading
C. Merlet-Benichou and C. de Rouffignac F185

No. 3 MARCH 1977

EDITORIAL REVIEW

A reinvestigation of the function of the mammalian urinary bladder
S. A. Lewis F187

Potassium activity and plasma membrane potentials in epithelial cells of toad bladder
G. Kimura, S. Urakabe, S. Yuasa, S. Miki, Y. Takamitsu, Y. Orita, and H. Abe F196

Function of the thin ascending limb of Henle of rats and hamsters perfused in vitro
M. Imai F201

Bicarbonate ions in active sodium transport across toad bladder
J. S. Chen and M. Walser F210

Dissociation of renal blood flow and filtration rate autoregulation by renin depletion
J. E. Hall, A. C. Guyton, and A. W. Cowley, Jr. F215

Inhibition of probenecid uricosuria by pyrazinamide and *para*-aminohippurate
A. D. Meisel and H. S. Diamond F222

Renal sugar transport in the winter flounder. III. Two glucose transport systems
A. Kleinzeller, G. R. Dubyak, P. M. Griffin, E. M. McAvoy, J. M. Mullin, and R. Rittmaster F227

Absence of significant secretory flux of phosphate in the proximal convoluted tubule
R. F. Greger, F. C. Lang, F. G. Knox, and C. P. Lechene F235

Monovalent cation and ouabain effects on PAH uptake by rabbit kidney slices
R. A. Podevin and E. F. Boumendil-Podevin F239

Renin stimulation by isoproterenol and theophylline in the isolated perfused kidney
R. J. Viskoper, M. H. Maxwell, A. N. Lupu, and S. Rosenfeld F248

Effect of potassium on utilization of [1-^{14}C]palmitic acid in renal cortex of the rat
M. E. Wagner and H. O. Heinemann F254

Vasopressor role of ADH in the pathogenesis of malignant DOC hypertension
J. Möhring, B. Möhring, M. Petri, and D. Haack F260

Insulin-mediated Na^+ transport in the toad urinary bladder
M. Cox and I. Singer F270

Renal responses to diuretic drugs in freshwater catfish *Ictalurus punctatus*
H. Nishimura F278

Effect of albumin infusion on renal glucose reabsorption in the rat
J. Kawamura, D. C. Mazumdar, and H. Lubowitz F286

No. 4 APRIL 1977

EDITORIAL REVIEW

Use of inhibitors in physiological studies of carbonic anhydrase
T. H. Maren F291

Stimulation of renal sodium reabsorption by angiotensin II
M. D. Johnson and R. L. Malvin F298

Effects of insulin, ADH, and cyclic AMP on sodium transport in the toad bladder
W. P. Wiesmann, S. Sinha, and S. Klahr F307

A micropuncture study of salt and water retention in chronic experimental cirrhosis
J. M. Lopez-Novoa, M. A. Rengel, J. L. Rodicio, and L. Hernando F315

Handling of angiotensin II and oxytocin by renal tubular segments perfused in vitro
D. R. Peterson, S. Oparil, G. Flouret, and F. A. Carone F319

Regulation of filtration rate in sodium-depleted and -expanded dogs
G. R. Marchand, T. J. Burke, J. A. Haas, J. C. Romero, and F. G. Knox F325

Nephron filtration rate in conscious rats recovering from anesthesia
J. P. Bonvalet, M. Champion, F. Wanstok, and G. Berjal F329

Effect of sodium fluoride on concentrating and diluting ability in the rat
J. D. Wallin and R. A. Kaplan F335

Renal vasopressin clearance with reductions in renal blood flow in the dog
R. E. Shade and L. Share F341

Origin of electrical PD's in hamster thin ascending limbs of Henle's loop
D. J. Marsh and C. M. Martin F348

Autoradiography of the water compartments in developing teeth of young mice
G. E. Lyman and W. J. Waddell F358

pH Gradients in the developing teeth of young mice from autoradiography of [^{14}C]DMO
G. E. Lyman and W. J. Waddell F364

Cyclic AMP in action of antidiuretic hormone: effects of exogenous cyclic AMP and its new analogue
D. A. Hall, L. D. Barnes, and T. P. Dousa F368

Stimulation of renin release in perfused kidney by low calcium and high magnesium
J. C. S. Fray F377

Influence of prostaglandins on sodium transport of isolated medullary nephron segments
L. G. Fine and W. Trizna F383

No. 5 MAY 1977

EDITORIAL REVIEW

Electron probe microanalysis: its present, its future
C. P. Lechene F391

Effect of chronic furosemide administration on hydrogen and sodium excretion in the dog
J. P. Bosch, M. H. Goldstein, M. F. Levitt, and T. Kahn F397

Lost mass and excretion as stimuli to parabiotic compensatory renal hypertrophy
H. Obertop and R. A. Malt F405

Effects of alpha-adrenergic blockade on renal function in hemorrhagic shock
L. P. Feigen, B. Coleman, and V. V. Glaviano F409

Renal response to vasopressin after inhibition of prostaglandin synthesis
G. Fejes-Tóth, A. Magyar, and J. Walter F416

Movement of *p*-aminohippurate between lumen and cells of renal tubule
E. C. Foulkes F424

Effect of parathyroid hormone on urinary acidification
J. A. L. Arruda, L. Nascimento, C. Westenfelder, and N. A. Kurtzman F429

Renin-angiotensin system and aldosterone secretion during aortic constriction in the rat
R. H. Freeman, J. O. Davis, and W. S. Spielman F434

Effect of furosemide on renal handling of glucose in the rat
S. Boonjarern, P. K. Mehta, M. E. Laski, W. R. Earnest, and N. A. Kurtzman F438

Relations of renal transport rate, transport maximum, and competitor potency for tetraethylammonium and choline
B. Rennick, M. Acara, and M. Glor F443

Dependence of the driving force of the sodium pump on rate of transport
P. U. Feig, G. D. Wetzel, and H. S. Frazier F448

Sugar interaction with the antiluminal surface of the proximal tubule in dog kidney
M. Silverman F455

Tracer Na fluxes in *Necturus* proximal tubule
K. R. Spring and G. Giebisch F461

SPECIAL COMMUNICATIONS

A signal-processing system for real-time ultrasonic measurement of urine flow parameters
R. J. Albright and J. R. Peterson F471

No. 6 JUNE 1977

EDITORIAL REVIEW

An analysis of the determinants of nephron filtration rate
B. J. Tucker and R. C. Blantz F477

Effect of acetazolamide on renal bicarbonate reabsorption in volume-expanded dogs
J. Jobin, T. Nawar, C. Caron, and G. E. Plante F484

Renal hemodynamic and autoregulatory responses to acute hypercalcemia
B. Chomdej, P. D. Bell, and L. G. Navar F490

Hydrodynamic alterations during distal tubular fluid collections in the rat kidney
R. E. Colindres, R. A. Kramp, M. E. M. Allison, and C. W. Gottschalk F497

Sodium excretion and intrarenal hemodynamics in thoracic inferior vena cava constriction
C. K. Crumb, A. N. Minuth, A. H. Flasterstein, C. S. Hebert, G. Eknoyan, M. Martinez-Maldonado, and W. N. Suki F507

Characteristics of accumulation of probenecid by rabbit kidney cortical slices
M. I. Sheikh and M. Stahl F513

Mechanism of dopamine-induced diuresis in the dog
P. Cadnapaphornchai, S. M. Taher, and F. D. McDonald F524

Prostaglandin synthesis inhibition and the action of vasopressin: studies in man and rat
T. Berl, A. Raz, H. Wald, J. Horowitz, and W. Czaczkes F529

Intrarenal control of electrolyte excretion by angiotensin II
J. E. Hall, A. C. Guyton, N. C. Trippodo, T. E. Lohmeier, R. E. McCaa, and A. W. Cowley, Jr. F538

Regulation of urinary calcium excretion in the rat
Z. S. Agus, P. J. S. Chiu, and M. Goldberg F545

Ouabain, acetazolamide, and Cl^- flux in isolated frog skin: evidence for two distinct active Cl^- transport mechanisms
C. O. Watlington, S. D. Jessee, and G. Baldwin F550

Renin-angiotensin-aldosterone system in rabbits with thoracic caval constriction
T. E. Lohmeier, J. O. Davis, R. C. Hanson, and G. M. Williams F559

Volume-expansion natriuresis: nephron function beyond the superficial late distal tubule
H. H. Bengele, E. R. McNamara, and E. A. Alexander F566

ANNOUNCEMENTS F571

Subject Index to Volume 1 F573
Author Index to Volume 1 F581

CORRIGENDA

Volume 232, March 1977
Volume 1, March 1977

Page F260: J. Möhring, B. Möhring, M. Petri, and D. Haack. "Vasopressor role of ADH in the pathogenesis of malignant DOC hypertension." Page F264: left column, lines 1, 2, and 3—substitute ng (nanograms) for μg (micrograms).

because the ligation of the major arterial supply to the bladder wall ultimately leads to tissue necrosis.

We gratefully acknowledge Mrs. Sharon M. Schryver for her technical assistance, Ms. Carma Jean Fink for her secretarial assistance, and Mr. Ronald Wilcox and Mr. William J. Hammond of the Section of Engineering for their help in constructing the intrabladder device.

This investigation was supported in part by Research Grant HL-16496 from the National Institutes of Health, and by the Mayo Foundation.

D.-S. Chen is a postgraduate fellow in the Cardiovascular Training Program of the National Institutes of Health. J. C. Romero is an Established Investigator of the American Heart Association.

Address reprint requests to Dr. J. C. Romero, Mayo Clinic, Rochester, Minn. 55901.

Received for publication 16 December 1976.

REFERENCES

1. De Wardener, H. E. The control of sodium excretion. In: *Handbook of Physiology. Renal Physiology,* edited by J. Orloff and R. W. Berliner. Washington, D.C.: Am. Physiol. Soc., 1973, p. 701–708.

2. Romero, J. C., and C. G. Strong. The effect of indomethacin blockade of prostaglandin synthesis on blood pressure of normal rabbits and rabbits with renovascular hypertension. *Circulation Res.* 40: 35–41, 1977.



Subject Index to Volume 2

A23187: *see* Ionophore A23187
Absorption: *see* specific substance and site
Acetazolamide
  bicarbonate transport, proximal convoluted tubules, F307
  chloride transport, urinary bladder (toad), F421
  hydrogen excretion, skin (frog), F46
  potassium transport, renal (bullfrog), F464
  sodium absorption, skin (frog), F46
Acetylcholine
  glomerular filtration rates, F61
  metabolic rate, renal, F61
Acid-base balance
  kidney, metabolic and respiratory acidosis, F82
Acidic peptide: *see* Peptide
Acidification
  hydrogen ion transport, bladder (turtle), F502
  urinary (turtle), F145
  urinary, apical membrane and (toad), F607
Acidosis
  metabolic, isolated kidney, F82
  respiratory, isolated kidney, F82
Acute renal failure: *see* Kidney failure
Adenosine monophosphate, cyclic
  calcium, magnesium, and phosphate, renal handling, F541
  chloride transport, corneal (frog), F94
  glomerular actions, F102
  prostaglandin production, renal, F539
Adenosine triphosphatase: *see* Sodium-potassium-ATPase
Adrenal glands
  enucleation, natriuresis, F8
Adrenal insufficiency
  cardiovascular homeostasis, F509
  renin-angiotensin system, F509
Adrenalectomy
  mineralocorticoids and sodium-potassium-ATPase, renal, relationship, F593
Adrenergic receptors: *see* Receptors
Albumin
  expansion, urine collection device, F615
Aldosterone
  potassium, postprandial excretion (sheep), F213
  sodium, postprandial excretion (sheep), F213
Allantoin
  excretion, renal, F373
Amiloride
  chloride transport, urinary bladder (toad), F421
  diluting segment, distal tubule (amphibian), F438
  hydrogen excretion, skin (frog), F46
  sodium absorption, skin (frog), F46
  transport characteristics, renal collecting tubules, F559
p-Aminohippurate
  uptake, renal, pH-temperature dependence, F382
p-aminohippuric acid
  prostaglandin transport, renal tubular (chicken), F133
Anaerobic metabolism
  renal, F207
Angiotensin: *see also* Renin-angiotensin
  acute renal failure, F247
Angiotensin II
  blockade: *see also* Angiotensin II antagonists
  blockade, glomerular filtration and, F366
  endogenous, renal hemodynamics, F388
  endogenous, renal sodium excretion, F388
  inhibition, renal hemodynamic response, F290
  proteinuria, mechanism, F13
  sodium reabsorption, renal tubular, F73
Angiotensin II antagonists
  glomerular filtration and, F366
  hemodynamics, renal, F388
  sodium excretion, renal, F388
Angiotensin-converting enzyme: *see* Converting enzyme
Anions
  crystal growth inhibition, urine, F455
Anions, transport
  nephron, in volume expansion, F118
  renal tubular (chicken), F133
  urinary bladder (toad), F421
ANOVA models: *see* Models
Antidiuresis
  glomerular actions, F102
  postprandial, aldosterone effects (sheep), F213
Antidiuretic hormone: *see also* Vasopressin
  apical membrane, urinary bladder (toad), F607
  hypertension, corticosterone and DOCA, F403
  prostaglandins and, F169
Antinatriuresis
  postprandial, aldosterone effects (sheep), F213
  post-volume expansion, F416
  renal tubular, neurogenic regulation, F73
Aorta
  constriction: *see* Constriction
Apparatus and techniques
  catheters: *see* Catheters
  column chromatography: *see* Chromatography
  electron microscopy: *see* Microscopy
  indicator-dilution: *see* Indicator-dilution
  ionic composition of plasma, F412
  kidney, perfused, function and structure (bullfrog), F481
  mathematical models: *see* Models
  microperfusion: *see* Microperfusion
  micropuncture: *see* Micropuncture
  potassium, total exchangeable, indirect measurement, F253
  potassium transport, renal, kinetic analysis (bullforg), F464
  radionuclide studies: *see* Radionuclide studies
  statistical models: *see* Models
  urine collection device, F615
Arginine vasotocin
  diluting segment, distal tubule, (amphibian), F438
Arterial pressure: *see* Pressure
Ascites
  formation, portal cirrhosis and, F572
  sodium retention, F572, F586
ATPase: *see* Sodium-potassium-ATPase
Arterioles, efferent
  glomerular filtration, F366
  glomerular filtration rate and renal blood flow transients, F396
Autonomic regulation
  salivary ductal transport, F22
Autoregulation: *see also* Blood flow; Filtration
  angiotensin II inhibition, F290
  renal, renin-angiotensin system and, F366
  whole body, in perinephritic hypertension, F278

Bartter's syndrome
  prostaglandins, F169
Basement membrane
  cell volume, renal tubule, regulation, F325
Bicarbonate transport
  nephron, parathyroid hormone effects, F29
  pars recta, F154
  proximal convoluted tubules, F307
  urinary bladder (toad), F421
Bladder: *see* Urinary bladder
Blood flow, renal
  angiotensin II and, F290
  autoregulation, F290
  distribution, reactive hyperemia, F89
  glucagon effects, F61
  glycine effects, F61
  prostaglandin effects, F169
  proteinuria, angiotensin II-induced, F13
  renin-angiotensin system and, F366
  temporal decoupling, F396
  transient response to arterial pressure changes, F396
Blood pressure: *see also* Pressure
  renal (bullfrog), F481
Body cell mass
  indirect measurement, F253
Body composition
  indirect measurement, F253

Calcium
  absorption, tubular, hypercalcemia, F201
  excretion, renal, parathyroidectomized starlings, F138
  reabsorption, medullary structures, F197
  reabsorption, renal insufficiency, F197
  renal handling, parathyroid hormone and cyclic AMP effects, F541
  ultrafiltration, hypercalcemia, F201
Calcium ionophore: *see* Ionophore
Calcium oxalate
  crystal growth inhibitors, urine, F455

Capillaries
permeability: *see* Permeability
Carbon dioxide
content, total, tubular bicarbonate transport and, F307
pressure, hydrogen ion secretion determinant, bladder (turtle), F145
Cardiovascular system
homeostasis, adrenal insufficiency and, F509
Catecholamines
tubular effects, F39
Catheters
permanent, ionic composition, plasma, F412
Cell volume
proximal tubules, F325
Chloride excretion
volume expansion effects, F118
Chloride reabsorption
nephron filtration and, relation, F315
Chloride secretion
rectal gland (shark), F298
Chloride transport
corneal, ionophore A23187 effects (frog), F94
glomerular filtration rate, feedback regulation, F1
pars recta, F154
sodium-potassium-ATPase role (shark), F298
renal collecting tubules, F544, F559
urinary bladder (toad), F421
Choline
chloride transport, urinary bladder (toad), F421
Chromatography
column, allantoin excretion, renal, F373
Cirrhosis
ascites formation, F572
portal, F572, F586
sodium retention, F572
sodium retention, efferent mechanisms, F586
Clearance technique, renal
calcium, magnesium, and phosphate, F514
Collagenase
cell volume regulation, proximal tubule, F325
Collecting ducts: *see* Kidney tubules, collecting
Colloid osmotic pressure: *see* Pressure
Compartmental analysis
potassium transport, renal (bullfrog), F464
Concentrating ability
renal, uninephrectomy and, F428
Conductance
ion pump mechanism, renal tubular, F395
Constriction, aortic
glomerular filtration rate, F61
metabolic rates, renal, F61
Constriction, ureteral
glomerular filtration rates, F61
metabolic rates, renal, F61
Converting enzyme
hemodynamics, renal, F290
Cornea
chloride transport, ionophore A23187 effects (frog), F94
Corticosterone
hypertension: *see* Hypertension
Countercurrent system
prostaglandin production, renal, F539
Crystal growth
inhibition, macromolecular anionic, F455
Current, short-circuit
apical membrane, urinary bladder (toad), F607
Cyanide
energy metabolism, renal, F207
sodium reabsorption, renal, F207
Cyclic AMP: *see* Adenosine monophosphate, cyclic

DDA
excretion (marine fish), F126
DDT
excretion (marine fish), F126
Decoupling
temporal, renal, arterial pressure changes and, F396
Denervation, renal
hyperemia, reactive, indomethacin effects, F89
Deoxycorticosterone acetate
hypertension: *see* Hypertension, DOCA
potassium excretion and, F225
sodium-potassium-ATPase activity, renal, F593
sodium reabsorption, renal, F593
transport characteristics, renal collecting tubules, F544
2-Deoxy-D-glucose
absorption, renal tubular, F274
Dexamethasone
naturiuresis, F8
Dibutyryl cyclic AMP
glomerular action, F102
Diet
transport characteristics, renal collecting tubules, F544
Diluting capacity
maturation, loop of Henle, F519
Dimethylnitrosamine
cirrhosis, sodium retention, F572, F586
2,4-Dinitrophenol
energy metabolism, renal, F207
sodium reabsorption, renal, F207
Diuresis
water, glomerular actions, F102
DOCA: *see* Deoxycorticosterone acetate

Edema
sodium retention, efferent mechanisms, F586
Efferent arterioles: *see* Arterioles
Efferent mechanisms
sodium retention, in liver disease, F586
Electrical behavior
renal collecting tubules, F559
Electrochemical equilibrium
chloride secretion, rectal gland (shark), F298
Electrochemical gradients
hydrogen ion transport, bladder, (turtle), F502
Electron microscopy: *see* Microscopy
Energy
metabolic, hydrogen ion secretion determinant, bladder (turtle), F145
metabolism, renal, 2,4-dinitrophenol effects, F207
Enzyme
converting: *see* Converting enzyme
Epinephrine
chloride transport, corneal (frog), F94
Erythropoiesis
prostaglandins and, F169
Ethacrynic acid
energy metabolism, renal, F207
sodium reabsorption, renal, F207
Extracellular fluid volume: *see* Volume

Feedback
glomerular filtration rate, regulation, F1, F217
tubuloglomerular, F217, F315
Filtration fraction
proteinuria, angiotensin II-induced, F13
Filtration, glomerular
allantoin and, F373
angiotensin II blockade, F366
angiotensin II effects, F13, F388
antidiuretic hormone actions, F102
autoregulation, F1, F61, F366
blood flow, renal, transient response to arterial pressure changes, F396
control, by renin-angiotensin system, F366
dibutyryl cyclic AMP actions, F102
feedback regulation, F1, F217
glucagon effects, F61
glycine effects, F61
growth hormone, F185
lead, F532
protein, angiotensin II effects, F13
uninephrectomy, F428
Filtration, nephron
autoregulation, F282
distal tubular delivery and reabsorptive rate, relation, F315
indicator-dilution assessment, F282
Filtration, single-nephron
autoregulation, F282
feedback control, F217
Fluid
absorption, nephron, parathyroid hormone effects, F29
reabsorption, renal collecting tubules, F544
transport, nephron, volume expansion and, F118
Furosemide
diluting segment, distal tubule (amphibian), F483
lead, renal handling, F532

Glomerular action
antidiuretic hormone, F102
dibutyryl cyclic AMP, F102
vasopressin, F102
Glomerular capillaries
protein permeability, angiotensin II effects, F13
Glomerular filtration: *see* Filtration
Glomerular sieving coefficient
growth hormone, F185
parathyroid hormone, F445
Glomerular ultrafiltration: *see* Ultrafiltration
Glucagon
extraction, renal, F67
glomerular filtration rates, F61
metabolic rate, renal, F61
Glucocorticoids
deficiency, adrenal insufficiency and, F509
natriuresis after adrenal enucleation, F8
Glucose
glomerular filtration rates, F61

sodium transport stimulation, renal, F235
D-Glucose
absorption, renal tubular, F274
Glucose-sodium
cotransport, renal, F235
Glycerol
acute renal failure, two-kidney Goldblatt rat, F247
Glycine
kinetics, renal tubules, F241
metabolic rate, renal, F61
transport, renal tubule, ontogeny, F241
Glycolysis
oxidative, bladder (turtle), F145
Goldblatt kidney: *see* Kidney
Growth hormone
renal handling, F185

Heat production
renal, energy metabolism, F207
renal, sodium reabsorption, F207
Hemodynamics, renal
angiotensin II effects, F388
angiotensin II inhibition, F290
proteinuria, angiotensin II-induced, F13
transient, F396
Hemorrhage
glomerular actions of antidiuretic hormone and dibutyryl cyclic AMP, F102
Henle's loop
ascending limb, phosphate transport, F150
diluting capacity, maturation, F519
glomerular filtration, feedback regulation, F1
phosphate transfer, F150, F261
Heterogeneity
nephron, F491
plasma flow, F333
Histology
kidney (bullfrog), F481
Hydrogen
excretion, active, skin (frog), F46
Hydrogen ions
secretion, metabolic energy and carbon dioxide as determinants, bladder (turtle), F145
transport, against electrochemical gradients, bladder (turtle), F502
transport, bladder (toad), F421
Hydropenia
allantoin excretion, renal, F373
Hydrostatic pressure: *see* Pressure
Hypercalcemia
calcium reabsorption, tubular, F201
calcium ultrafiltration, F201
phosphate tubular reabsorption, F201
phosphate ultrafiltration, F201
Hyperemia, reactive
denervated kidney, F89
indomethacin effects, F89
Hyperglycinuria
ontogeny, F241
Hyperreninemia
adrenal insufficiency, F509
Hypertension
corticosterone, pathogenesis, F403
DOCA, pathogenesis, F403
perinephritic, development, without volume expansion, F278
perinephritic, sodium balance, F278
renal, prostaglandins, F169
Hypoxia
energy metabolism, renal, F207
sodium reabsorption, renal, F207

Indicator-dilution technique
nephron filtration rate, F282
Indomethacin
hyperemia, reactive, in denervated kidney, F89
prostaglandin transport, renal tubular, inhibition (chicken), F133
Inulin
clearance, renal, F373
Inulin
clearance, renal insufficiency, F197
Ionophore
calcium, chloride transport, corneal (frog), F94
Ionophore A23187: *see* Ionophore, calcium
Ions
flows, active and passive, pars recta, F154
plasma, arterial and mixed venous, F412
pumps, renal tubule, F359
Ischemia
renal, reactive hyperemia, F89

Kidney
acid-base equilibrium, metabolic and respiratory acidosis, F82
aglomerular, DDA handling (marine fish), F126
allantoin excretion, F373
autoregulation, renin-angiotensin system and, F366
bicarbonate transport, F307
blood flow: *see* Blood flow
calcium: *see* Calcium
chloride excretion, volume expansion effects, F118
clearance: *see* specific substance
DDA handling (marine fish), F126
DDT metabolite handling (marine fish), F126
denervated, reactive hyperemia, F89
diluting capacity, maturation, F519
2,4-dinitrophenol effects, F207
energy metabolism, F207
excretion, postprandial, aldosterone effects (sheep), F213
fluid: *see* Fluid
glucagon extraction, F67
growth hormone: *see* Growth hormone
heat production, energy metabolism, F207
heat production, sodium reabsorption, F207
hemodynamics: *see* Hemodynamics
insufficiency, calcium reabsorption, F197
inulin clearance, F373
kinetics, pH-temperature dependence, F382
lead clearance, F532
loop of Henle: *see* Henle's loop; Nephron
magnesium handling, parathyroid hormone and cyclic AMP effects, F514
metabolic and respiratory acidosis, F82
metabolic rates, glucagon effects, F61
metabolic rates, glycine effects, F61
mineralocorticoids, and sodium-potassium-ATPase, relationship, F593
nephron: *see* Nephron
organic acid transport, pH-temperature dependence, F382
oxygen consumption, 2,4-dinitrophenol effects, F207
parathyroid hormone: *see* Parathyroid hormone
perfusion methods (bullfrog), F481
phosphate excretion, parathyroidectomy (starling), F138
phosphate handling, parathyroid hormone and cyclic AMP effects, F514
plasma flow: *see* Plasma flow
potassium: *see* Potassium
prostaglandins, F169
protein, lymph, F269
renin: *see* Renin
sodium: *see* Sodium
statistical models for micropuncture studies, F349
structure (bullfrog), F481
sugar reabsorption, F274
tubuloglomerular feedback, F217
uninephrectomized, concentrating ability, F428
uric acid clearance, F373
urine collection device, F615
vascular resistance: *see* Resistance
water excretion, prostaglandins and, F169
Kidney cells
proximal, volume regulation, F325
Kidney cortex
plasma flow, peritubular, heterogeneity, F333
Kidney failure
acute, two-Kidney Goldblatt, F247
acute, glycerol-induced, F247
prostaglandins in, F169
Kidney function
acute renal failure, F247
ascites, F572, F586
cirrhosis, F572, F586
development, F519
glucose stimulation, F235
Goldblatt rat, F247
maturation, F55
perfusion (bullfrog), F481
reduced, glucagon extraction, F67
Kidney interstitium
protein, lymph, F269
Kidney medulla
calcium reabsorption, F197
mineralocorticoids and sodium-potassium-ATPase, relationship, F593
plasma flow, heterogeneity, F333
renal insufficiency, F197
Kidney papilla
calcium reabsorption, F197
Kidney tubules
anions, transport (chicken), F133
apical membrane, ion pumps, F359
basal-lateral membrane, ion pumps, F359
catecholamines, effects, F39
glucose absorption, F274
glycine transport, ontogeny, F241
growth hormone absorption, F185
heterogeneity, nephron, F491
ion pumps, F359
ions, cotransport, F359
ions, countertransport, F359
lead, reabsorption, F532
metabolites, transport (chicken), F133
parathyroid hormone absorption, F445

prostaglandins, transport, F133, F169
segments, development, F55
sodium: *see* Sodium
Kidney tubules, collecting
deoxycorticosterone acetate effects, F544
diet, effects, F544
natriuresis after adrenal enucleation, F8
phosphate transport, parathyroid hormone effects, F29
potassium transport, transepithelial, model, F559
sodium transport, transepithelial, model, F544
transport characteristics, F544
Kidney tubules, distal
diluting segment (amphibian), F438
phosphate adaptation, localization, F342
potassium excretion, sodium intake effects, F225
sodium delivery, acidosis, F82
Kidney tubules, distal early
phosphate transport, F261
Kidney tubules, distal late
nephron filtration, relation, F315
Kidney tubules, proximal
allantoin excretion, F373
calcium reabsorption, hypercalcemia, F201
cell volume, basement membrane effects, F325
cell volume, colloid osmotic pressure effects, F325
glomerular filtration rate and renal blood flow transients, F396
phosphate adaptation, localization, F342
phosphate reabsorption, hypercalcemia, F201
Kidney tubules, proximal convoluted
bicarbonate transport, F307
phosphate transport, parathyroid hormone effects, F29
Kidney tubules, proximal late
nephron filtration, relation, F315
phosphate transport, F261
Kidney tubules, proximal straight
cell volume regulation, F325
fluid absorption, F155
ion flows, passive and active, F154
phosphate transport, parathyroid hormone effects, F29

Lactate
energy metabolism, renal, F207
sodium reabsorption, renal, F207
Lead
excretion, factors, F532
reabsorption, tubular, F532
renal handling, F532
Liver disease
sodium retention, F572, F586
Loop of Henle: *see* Henle's loop
Lymph
protein, renal, F269

Macromolecules
proteinuria, angiotensin II-induced, F13
Macula densa
glomerular filtration, feedback regulation, F1
Magnesium
renal handling, parathyroid hormone and cyclic AMP effects, F541
Mathematical model: *see* Models
Maturation
loop of Henle, F519
renal function, F55
sodium-potassium-ATPase, nephron, F55
Medullary structures
renal: *see* Kidney medulla
Membrane carrier
chloride secretion, rectal gland (shark), F298
Membrane permeability: *see* Permeability
Metabolic acidosis: *see* Acidosis
Metabolic energy: *see* Energy
Metabolic substrates
sodium transport, renal, F235
Metabolism: *see also* specific substance and site
anaerobic, renal, F207
Metabolites
transport, renal tubular (chicken), F133
3-*O*-Methyl-D-glucose
absorption, renal tubular, F274
Microinfusion
phosphate transport along nephron, F261
Microperfusion
salivary ductal transport, F22
Micropuncture
allantoin excretion, renal, F373
feedback control, glomerular filtration rate, F217
free-flow, maturation, loop of Henle, F519
hypercalcemia, calcium and phosphate ultrafilterability and tubular reabsorption, F201
natriuresis after adrenal enucleation, F8
phosphate transport, nephron, F150, F261
phosphate, tubular handling, F342
potassium excretion, sodium intake effects, F225
sodium reabsorption, renal, following volume expansion, F416
statistical models, renal, F349
sugar absorption, renal, F274
surgery, plasma volume and salt and water excretion following, F600
Microscopy, electron
sodium reabsorption, renal tubular, F73
Microspheres
radioactive: *see* Radionuclide studies
Mineralocorticoids
and sodium-potassium-ATPase, renal, relationship, F593
deficiency, adrenal insufficiency and, F509
postprandial sodium and potassium excretion (sheep), F213
potassium excretion and, F225
Models
ANOVA, renal micropuncture studies, F349
compartmental analysis, potassium transport, renal (bullfrog), F464
mathematical, fluid absorption, pars recta, F154
mathematical, ion flow, active and passive, pars recta, F154
sodium and potassium transport, renal collecting tubules, F559
statistical, micropuncture studies, F349

Na^+-K^+-ATPase: *see* Sodium-potassium-ATPase
Natriuresis
adrenal enucleation, F8
dexamethasone effects, F8
prostaglandins and, F169
spironolactone effects, F8
volume expansion effects, F118
Nephrectomy
unilateral, concentrating ability, F428
Nephron
chloride transport, volume expansion effects, F118
deep, phosphate transport, F150
distal, allantoin excretion, F373
filtration: *see* Filtration
fluid transport, volume expansion effects, F118
heterogeneity, structural and functional, F491
parathyroid hormone responsiveness, F29
phosphate transport, F29, F261
segmentation, F491
single, heterogeneity, F491
sodium-potassium-ATPase activity, maturation, F55
superficial, diluting capacity, maturation, F519
superficial, phosphate transport, F150
Neurogenic regulation
sodium reabsorption, renal tubular, F73
Norepinephrine
tubular effects, F39

Osmotic permeability
bladder (trout), F525
Oncotic pressure: *see* Pressure
Ontogenesis
sodium-potassium-ATPase, nephron, F55
Ontogeny
glycine transport, renal tubule, F241
Organic acid
transport, renal (marine fish), F126
transport, renal, pH and temperature dependence, F382
Osmolality
urine, uninephrectomy, F428
Ouabain
bicarbonate transport, proximal convoluted tubules, F307
cell volume regulation, proximal tubule, F325
chloride transport, bladder (toad), F421
Oxidative glycolysis
bladder (turtle), F145
Oxonic acid
allantoin excretion, renal, F373
Oxygen
consumption, 2,4-dinitrophenol effects, renal, F207
prostaglandin production, modulation, renal, F539

Parasympathetic nerves
potassium transport, submaxillary duct, F22
sodium transport, submaxillary duct, F22

Parathyroid extract
injection, calcium excretion (starling), F138
injection, phosphate excretion (starling), F138
Parathyroid hormone
calcium reabsorption, renal, F197
clearance, renal, F445
extraction, renal, F445
filtering and nonfiltering, F448
phosphate transport, nephron, F29, F150
renal handling of calcium, magnesium, and phosphate, F514
transport and catabolism, renal, F448
Parathyroidectomy
calcium excretion, renal (starling), F138
phosphate excretion, renal (starling), F138
Pars recta, superficial
fluid absorption, F154
ion flow, active and passive, F154
Peptide
acidic, crystal growth inhibitors, urine, F455
Perfusion methods
kidney (amphibian), F481
Permeability
capillary, protein, angiotensin II effects, F13
corneal, ionophore A23187 effects (frog), F94
glomerular capillaries, antidiuretic hormone, F102
glomerular capillaries, cyclic AMP, F102
osmotic and solute, bladder (trout), F525
reagents, bladder membrane (toad), F607
pH
organic acid transport, renal, F382
Phenol red
organic acid transport, renal, pH-temperature dependence, F382
Phloridzin
sugar absorption, renal tubular, F274
Phosphate
adaptation, tubular localization, F342
dietary, tubular handling, F342
excretion, renal, parathyroidectomy (starlings), F138
reabsorption, nephron, F261
reabsorption, tubular, hypercalcemia, F201
renal handling, parathyroid hormone and cyclic AMP effects, F541
secretion, nephron, F261
ultrafiltration, hypercalcemia, F201
Phosphate transport
fractional delivery, F150
nephron, F29, F150, F261
parathyroid hormone effects, nephron, F29
phosphate-loading, F150
Plasma
arterial and mixed venous, ionic composition, F412
volume: *see* Volume; Volume expansion
Plasma flow
renal, angiotensin II effects, F388
renal, uninephrectomy, F428
renal cortex, peritubular, heterogeneity, F333
renal medulla, heterogeneity, F333
Polyribonucleotides
crystal growth inhibitors, urine, F455
Potassium: *see also* Sodium-potassium-ATPase
bicarbonate transport, proximal convoluted tubules, F307
flux, submaxillary duct, F22
hypertension, corticosterone and DOCA, F403
pump, renal collecting tubules, F559
secretion, renal, in metabolic and respiratory acidosis, F82
total exchangeable, indirect measurement, F253
urine collection device and, F615
Potassium excretion
postprandial (sheep), F213
renal (starling), F138
renal, kinetic analysis (bullfrog), F464
renal, sodium intake effects, F225
uninephrectomy, F428
urinary, angiotensin II effects, F388
Potassium transport
renal collecting tubules, F544, F559
renal, kinetic analysis (bullfrog), F464
submaxillary duct, parasympathetic control, F22
urinary bladder (toad), F421
Pressure
arterial, angiotensin II inhibition, F290
arterial, glomerular filtration rate, transient response, F396
carbon dioxide: *see* Carbon dioxide
colloid osmotic, cell volume regulation, proximal tubule, F325
hydrostatic, cell volume regulation, proximal tubule, F325
hydrostatic, protein, renal lymph, F269
oncotic, protein, renal lymph, F269
Probenecid
prostaglandin transport, renal tubular, inhibition (chicken), F133
Propranolol
tubular effects, F39
Prostaglandin E_2
transport, renal tubular (chicken), F133
Prostaglandin $F_{2\alpha}$
transport, renal tubular (chicken), F133
Prostaglandins
antidiuretic hormone and, F169
Bartter's syndrome, F169
biochemistry, F169
blood flow, renal, F169
degradation, F169
erythropoiesis, F169
hyperemia, reactive, F89
hypertension, F169
natriuresis and, F169
production, oxygen modulation, renal, F539
renal, F169
renal failure, F169
renin-angiotensin system, F169
sodium excretion, F169
sodium reabsorption, renal tubular, F73
synthesis, F169
transport, renal tubular, inhibition by probenecid and indomethacin (chicken), F133
transport, tubular, F169
volume expansion and, F169
water, renal excretion, F169
Protein
filtration, angiotensin II effects, F13
lymph, renal, F269
membrane, urinary bladder (toad), F607
Proteinuria
angiotensin II-induced, mechanism, F13
Pumps
ion, renal tubule, F359
potassium, renal collecting tubules, F559
sodium, renal collecting tubules, F559
Pyrazinamide
allantoin excretion, renal, F373

Radionuclide studies
allantoin excretion, renal, F373
hyperemia, reactive, indomethacin effects in denervated kidney, F89
plasma flow heterogeneity, intracortical peritubular, F333
prostaglandins, renal tubular transport (chicken), F133
Reabsorption: *see* specific substance or site
Reactive hyperemia: *see* Hyperemia
Reagents
membrane impermeant, bladder (toad), F607
Receptors
β-adrenergic, catecholamines, tubular effects, F39
Rectal gland
chloride secretion (shark), F298
Renal artery
clipping, acute renal failure, F247
Renal nerves
catecholamines, tubular effects, F39
sodium reabsorption, tubular, F73
Renin
renal, acute renal failure, F247
Renin-angiotensin system
adrenal insufficiency, F509
glomerular filtration rate, control, F366
hemodynamics, renal, F290
hypertension, corticosterone and DOCA, F403
prostaglandins and, F169
Resistance, vascular
renal, angiotensin II effects, F388
renal collecting tubules, F544
Respiratory acidosis: *see* Acidosis
Rubidium-86
accumulation, intracortical peritubular plasma flow and, F333

Saliva
formation, parasympathetic control, F22
Salivary duct
transport, parasympathetic control, F22
Salt
excretion, micropuncture surgery effects, F600
[Sar^1,Ala^8]angiotensin II: *see* Angiotensin II antagonists
Secretion: *see* specific substance or site
Short-circuit current: *see* Current
Shunt pathways
renal collecting tubules, F559
Skin
hydrogen excretion, active (frog), F46
sodium absorption (frog), F46
Sodium
absorption, skin (frog), F46

Sodium (*continued*)
balance, hypertension, perinephritic, F278
balance, renal, following volume expansion, F416
depletion, glomerular filtration and, F366
depletion, potassium intake and, F225
expansion, urine collection device and, F615
flux, submaxillary duct, F22
glomerular filtration rate, feedback regulation, F1
hypertension, corticosterone and DOCA, F403
intake, potassium excretion, renal, F225
pump, renal collecting tubules, F559
urine collection device, F615
Sodium bicarbonate
volume expansion, nephron transport in, F118
Sodium chloride
volume expansion, nephron transport in, F118
Sodium excretion
adrenal enucleation, F8
angiotensin II effects, F388
metabolic and respiratory acidosis, renal, F82
postprandial (sheep), F213
prostaglandins and, F169
renal (starling), F138
uninephrectomy, F428
volume expansion effects, F118
Sodium-hydrogen exchange
skin (frog), F46
Sodium-potassium-ATPase
and mineralocorticoids, renal, relationship, F593
chloride secretion, rectal gland (shark), F298
maturation, nephron segments, F55
ontogenesis in vitro, nephron, F55
pump: *see also* Pumps
pump mechanism, renal tubular, F359
Sodium reabsorption, renal
2,4-dinitrophenol effects, F207
glomerular filtration, F61
glucose stimulation, F235
mineralocorticoids and sodium-potassium-ATPase in, F593
volume expansion and, F416
Sodium reabsorption, renal tubular
neurogenic regulation, F73
Sodium retention
ascites, F572, F586
cirrhosis, F572, F586
efferent mechanisms, in liver disease, F586
Sodium transport
bladder (trout), F525
glucose stimulation, renal, F235
parasympathetic control, submaxillary duct, F22
pars recta, F154
renal collecting tubules, F544, F559
skin (frog), F46
Solute permeability
bladder (trout), F525
Spironolactone
natriuresis, F8
Statistical models: *see* Models
Submaxillary duct
potassium transport, parasympathetic control, F22
sodium transport, parasympathetic control, F22
Sugar
absorption, renal tubular, F274
Surgery
micropuncture preparation: *see* Micropuncture

Temperature
heat production: *see* Heat production
organic acid transport, renal, F382
Temporal decoupling: *see* Decoupling
Thyroparathyroidectomy
calcium, magnesium, and phosphate, renal handling, F514
calcium reabsorption, renal, F197
Tubuloglomerular feedback: *see* Feedback

Ultrafiltration, glomerular
antidiuretic hormone actions, F102
calcium, hypercalcemia, F201
dibutyryl cyclic AMP actions, F102
lead, in plasma, F532
phosphate, hypercalcemia, F201
Uninephrectomy: *see* Nephrectomy
Urea
excretion, uninephrectomy, F428
transport, bladder (trout), F525
Ureteral constriction: *see* Constriction
Uric acid
clearance, renal, F373
Urinary bladder
apical membrane function (toad), F607
chloride transport (toad), F421
hydrogen ion secretion, metabolic energy and carbon dioxide pressure as determinants (turtle), F145
hydrogen ion transport, against electrochemical gradients (turtle), F502
membrane impermeant reagents (toad), F607
oxidative glycolysis (turtle), F145
permeability, osmotic and solute (trout), F525
proton motive force (turtle), F502
sodium transport (trout), F525
urea transport (trout), F525
urine collection device, F615
water transport (trout), F525
Urinary excretion: *see* specific substance
Urine
acidification: *see* Acidification
collection, without ureteral cannulation, device, F615
crystal growth inhibitors, F455
dilution, catecholamine effects, F39
osmolality, uninephrectomy, F428
output, hypertension, perinephritic, F278

Vasopressin: *see also* Antidiuretic hormone
glomerular action, F102
hydrogen excretion, skin (frog), F46
prostaglandin production, renal, F539
sodium absorption, skin (frog), F46
Vasotocin: *see* Arginine vasotocin
Voltage
transepithelial, renal collecting tubules, F544
Volume
extracellular fluid, corticosterone and DOCA hypertension, F403
plasma, micropuncture surgery effects, F600
renal tubule cells, basement membrane effects, F325
renal tubule cells, colloid osmotic pressure effects, F325
Volume expansion
albumin, urine collection device, F615
allantoin excretion, renal, F373
anion transport, nephron, F118
hypertension, perinephritic, F278
induction and recovery, renal, F416
nephron fluid and chloride transport, F118
plasma, portal cirrhosis, F572
prostaglandins and, F169
sodium reabsorption, renal, F416
sodium, urine collection device, F615

Water
diuresis: *see* Diuresis
excretion, micropuncture surgery effects, F600
excretion, renal, prostaglandins and, F169
transport, bladder (trout), F525

Author Index to Volume 2

Abramson, R. G., F373
Aizawa, C., F89
Al-Awqati, Q., F502
Alexander, E. A., F8
Anderson, R. J., F509
Andreoli, T. E., F154
Arendshorst, W. J., F290
Arevalo, G. J., F593

Baranowski, R. L., F593
Bastl, C., F67
Beaumont, J. E., F118
Becker-McKenna, B., F247
Bell, D., F282
Bello-Reuss, E., F29
Bengele, H. H., F8
Berndt, T., F150, F261
Berns, A. S., F509
Besarab, A., F39
Bidani, A., F247
Binkerd, P. E., F428
Blantz, R. C., F269, F315
Bohrer, M. P., F13
Bonjour, J.-P., F342
Brenner, B. M., F13, F102
Briggs, J. P., F1, F373
Burg, M., F307
Burnatowska, M. A., F514

Candia, O. A., F94
Chen, D.-S., F615
Churchill, P., F247
Clark, N. B., F138
Coe, F. L., F455
Coelho, J. B., F333
Coleman, T. G., F366
Cowley, A. W., Jr., F388
Cuppage, F. E., F325, F481

Davis, B. B., F539
Davis, J. O., F278
Deeds, D. G., F464, F481
Deen, W. M., F13
Denham, S. C., F213
Dennis, V. W., F29
DiBona, G. F., F73
Dirks, J. H., F201, F514
Donald, D. E., F615
Dunn, M. J., F169

Ehrenfeld, J., F46
Epstein, F. H., F39, F298
Erickson, A. L., F509

Fanestil, D. D., F607
Felig, P., F67
Fenton, R. A., F481
Field, M., F298
Fine, L., F298
Finkelstein, F. O., F67, F197
Finn, W. F., F290
Fleisch, H., F342
Fleischmann, L., F247
Forrest, J. N., F298
Frankena, H., F412
Fossat, B., F525
Freeman, R. H., F278
Frega, N. S., F235

Galla, J. H., F118
Garcia-Romeu, F., F46
Grantham, J. J., F325
Green, N., F307
Guarino, A. M., F126
Gunther, R. A., F213
Guyton, A. C., F366, F388, F396

Haack, D., F403
Hackenthal, E., F403
Haas, J. A., F150, F261
Hall, J. E., F366, F388, F396
Hargens, A. R., F269
Harms, V., F607
Harris, C. A., F201, F514
Hayslett, J. P., F67
Helman, S. I., F544, F559
Hendler, R., F67
Honda, N., F89
Hood, V. L., F169
Horster, M., F55, F519
Hwang, S.-M., F241
Humes, J., F253

Ichikawa, I., F102
Ito, H., F455

Jackson, T. E., F366, F396
Johannesen, J., F61, F207
Johnson, V., F185

Kalitis, K., F532
Karnaky, K. J., Jr., F126
Katz, A. I., F593
Kau, S. T., F445
Kiil, F., F61, F207
Kinter, W. B., F126
Kliger, A. S., F197
Knight, T., F274, F416
Knox, F. G., F150, F261
Konnen, K. S., F315
Kurtzman, N. A., F593

Lahlou, B., F525
Landsberg, L., F39
Leaf, A., F235
Levine, D. Z., F349
Levitt, M. J., F539
Levy, M., F572, F586
Lie, M., F61, F207
Linshaw, M. A., F325
Lohmeier, T. E., F366, F388
London, J. W., F241
Luke, R. G., F118

Maack, T., F185, F445
Maddox, D. A., F600
Magnusson, M., F217
Marchand, G. R., F150, F261
McDonald, K. M., F509
McNamara, E. R., F8
McTigue, M., F421
Möhring, B., F403
Möhring, J., F403
Montoreano, R., F94
Mousseau, G., F349
Mouw, D. R., F532
Mueller, A., F502
Mühlbauer, R. C., F342

Navar, L. G., F282

O'Neil, R. G., F544, F559
Osswald, H., F261

Park, Y. S., F382
Patlak, C. S., F154
Peterson, L. N., F225
Petri, M., F403
Pluss, R. G., F509
Podos, S. M., F94
Price, D. C., F600
Pritchard, J. B., F126

Rabinowitz, L., F213, F428
Raman, S., F349
Rector, F. C., Jr., F600
Rennick, B. R., F133
Rispens, P., F412
Robertson, C. R., F13
Robinson, R. R., F29
Romero, J. C., F615
Ross, B. D., F235
Rostand, S. G., F82
Roth, K. S., F241

Sachs, G., F359
Sachtjen, E., F428
Sansom, S., F274
Schafer, J. A., F154
Schmidt, U., F55
Schnermann, J., F217
Schneyer, L. H., F22
Schrier, R. W., F509
Schwartz, J. H., F145
Segal, S., F241
Sherwin, R., F67
Shizgal, H. M., F253
Silva, P., F39, F298
Simone, J. N., F464
Soboslai, G. B., F421
Solomon, S., F382
Spanier, A. H., F253
Spielman, W. S., F261
Stapleton, F. B., F325
Steinmetz, P. R., F145, F502
Stoff, J., F298
Stoner, L. C., F438
Stowe, N., F217
Sullivan, L. P., F464, F481
Sutton, R. A. L., F201, F514

Taylor, D. L., F532
Thomas, C., F282
Tingwald, G., F217
Trippodo, N. C., F366, F388
Tucker, B. J., F269
Tucker, J. M., F481

Valtin, H., F491
Vander, A. J., F532
Van Kampen, E. J., F412
Victery, W., F532

Watkins, B. E., F278
Watkins, J. B., F82
Weinberg, J. M., F235
Weiner, M. W., F421
Weinman, E. J., F274, F416
Welling, D. J., F464
Westenfelder, C., F593
Wideman, R. F., Jr., F138
Williams, R. H., F282
Wood, C. D., F253
Wright, F. S., F1, F225

Yarimizu, S., F217
Youngberg, S. P., F150, F261

Zenser, T. V., F539
Zijlstra, W. G., F412
Zink, H., F519
Zweens, J., F412

American Journal of Physiology: Renal, Fluid and Electrolyte Physiology

VOLUME 2, July–December 1977

Editor: T. E. ANDREOLI

Associate Editors: J. J. GRANTHAM, F. S. WRIGHT

Editorial Board:
E. L. J. B. BOULPAEP
J. J. COHEN
T. P. DOUSA
J. S. HANDLER
F. G. KNOX
W. E. LASSITER
R. L. MALVIN
C. S. PATLAK
F. C. RECTOR, JR.
R. W. SCHRIER

Publications Committee of the American Physiological Society
A. P. FISHMAN, *Chairman*
R. W. BERLINER
R. M. BERNE

S. R. GEIGER
Publications Manager and Executive Editor

B. B. RAUNER
Managerial Assistant

W. A. SONNENBERG
Business Manager

A. RAEFSKY
Copy Editor

Published monthly by
THE AMERICAN PHYSIOLOGICAL SOCIETY
9650 Rockville Pike, Bethesda, Md. 20014

COPYRIGHT © 1977 BY
THE AMERICAN PHYSIOLOGICAL SOCIETY, INC.

PRINTED IN THE UNITED STATES OF AMERICA
BY WAVERLY PRESS, INC., BALTIMORE, MARYLAND 21202

Guest Referee Editors

The Publications Committee of the American Physiological Society gratefully acknowledges the services of the following guest referee editors who assisted the Editorial Board in the reviews of manuscripts.

P. Abbrecht
Z. S. Agus
Q. Al-Awqati
E. A. Alexander
A. C. Alfrey
R. Anderson
E. T. Angelakos
W. J. Arendshorst
A. Arieff
P. Aronson
J. A. L. Arruda
G. D. Aurbach
M. Bailie
N. Bank
L. Barajas
S. B. Baruch
R. Beeuwkes III
P. J. Bentley
M. Bergeron
T. Berl
C. Berry
B. Biagi
R. Blantz
J. Bourdeau
J. J. Bourgoignie
E. H. Bresler
W. A. Brodsky
F. Bruns
V. M. Buckalew
J. Buerkert
T. J. Burke
L. Cabantchik
A. M. Chonko
Jordan J. Cohen
T. Coleman
R. E. Colindres
J. D. Conger
M. Cook
J. Costello
W. H. Dantzler
J. O. Davis
D. Dawson
W. M. Deen
V. W. Dennis
C. DeSenarclens
G. F. DiBona
T. DuBose
B. Edwards
F. H. Epstein
M. Epstein
A. Essig
K. H. Falchuk
P. U. Feig
T. F. Ferris
L. G. Fine
A. L. Finn
W. Finn
W. Flamenbaum
R. Forster
E. C. Foulkes
R. Freeman
R. Frizzell
J. Galla
L. Garg
F. J. Gennari
M. Goldberg
S. S. Goldfarb
L. Goldstein
J. Hall
R. J. Hamburger
M. Hanley
D. Hare
J. P. Hayslett
S. I. Helman
S. Hersey
K. Hierholzer
H. D. Hume
I. Ichikawa
J. Irish
R. L. Jamison
P. Johnston
M. Kaplan
J. Kaufman
W. B. Kinter
L. B. Kirschner
C. R. Kleeman
A. Kleinzeller
J. Kokko
T. A. Kotchen
L. R. Krakoff
R. T. Kunau
H. Kuntziger
N. A. Kurtzman
C. P. Lechene
J. Leutscher
S. Levine
J. E. Lewy
M. Lifschitz
R. Luke
T. Maack
D. Maddox
R. H. Maffly
R. A. Malt
G. R. Marchand
T. H. Maren
M. Martinez-Maldonado
K. McDonald
W. L. McGuffin
J. L. McNay
E. A. Mirand
B. Misanko
J. Möhring
L. G. Navar
J. A. Oates
R. O'Neil
S. Oparil
C. Y. C. Pak
J. R. Pappenheimer
L. Peterson
G. G. Pinter
G. A. Porter
J. Potts
T. L. Poulson
J. Puschett
L. Rabinowitz
D. J. Ramsey
L. Reuss
G. L. Robertson
S. Rostand
G. Sachs
B. Sactor
R. Safirstein
J. A. Schafer
B. Schmidt-Nielson
C. Schneyer
J. Schnermann
J. C. Schooley
I. L. Schwartz
V. H. Shoemaker
S. Silbernagl
P. Silva
D. P. Simpson
L. T. Skeggs
E. Slatopolsky
L. Smith
A. Spitzer
K. R. Spring
T. H. Steele
J. H. Stein
J. L. Stephenson
N. Stowe
W. Suki
L. P. Sullivan
R. Tannen
D. R. Taves
L. Tobian
B. Tune
H. Valtin
A. J. Vander
M. Walser
D. G. Warnock
I. M. Weiner
S. W. Weinstein
L. Welling
R. H. Williams
L. Willis
E. E. Windhager
E. M. Wright
R. M. Zusman

American Journal of Physiology: Renal, Fluid and Electrolyte Physiology

No. 1. JULY 1977

EDITORIAL REVIEW

Feedback regulation of glomerular filtration rate
F. S. Wright and J. P. Briggs F1

Natriuresis after adrenal enucleation: effect of spironolactone and dexamethasone
H. H. Bengele, E. R. McNamara, and E. A. Alexander F8

Mechanism of angiotensin II-induced proteinuria in the rat
M. P. Bohrer, W. M. Deen, C. R. Robertson, and B. M. Brenner F13

Parasympathetic control of Na, K transport in perfused submaxillary duct of the rat
L. H. Schneyer F22

Response of phosphate transport to parathyroid hormone in segments of rabbit nephron
V. W. Dennis, E. Bello-Reuss, and R. R. Robinson F29

Effect of catecholamines on tubular function in the isolated perfused rat kidney
A. Besarab, P. Silva, L. Landsberg, and F. H. Epstein F39

Active hydrogen excretion and sodium absorption through isolated frog skin
J. Ehrenfeld and F. Garcia-Romeu F46

Na-K-activated ATPase: activity maturation in rabbit nephron segments dissected in vitro
U. Schmidt and M. Horster F55

Effect of glycine and glucagon on glomerular filtration and renal metabolic rates
J. Johannesen, M. Lie, and F. Kiil F61

Renal extraction of glucagon in rats with normal and reduced renal function
C. Bastl, F. O. Finkelstein, R. Sherwin, R. Hendler, P. Felig, and J. P. Hayslett F67

ANNOUNCEMENTS F72

No. 2. AUGUST 1977

EDITORIAL REVIEW

Neurogenic regulation of renal tubular sodium reabsorption
G. F. DiBona F73

Response of the isolated rat kidney to metabolic and respiratory acidosis
S. G. Rostand and J. B. Watkins F82

Failure to abolish reactive hyperemia by indomethacin in denervated kidneys of rabbits
C. Aizawa and N. Honda F89

Effect of the ionophore A23187 on chloride transport across isolated frog cornea
O. A. Candia, R. Montoreano, and S. M. Podos F94

Evidence for glomerular actions of ADH and dibutyryl cyclic AMP in the rat
I. Ichikawa and B. M. Brenner F102

Effect of volume expansion with NaCl or $NaHCO_3$ on nephron fluid and Cl transport
J. H. Galla, J. E. Beaumont, and R. G. Luke F118

Renal handling of the polar DDT metabolite DDA (2,2-bis[*p*-chlorophenyl] acetic acid) by marine fish
J. B. Pritchard, K. J. Karnaky, Jr., A. M. Guarino, and W. B. Kinter F126

Renal tubular transport of prostaglandins: inhibition by probenecid and indomethacin
B. R. Rennick F133

Renal excretion of phosphate and calcium in parathyroidectomized starlings
N. B. Clark and R. F. Wideman, Jr. F138

Metabolic energy and Pco_2 as determinants of H^+ secretion by turtle urinary bladder
J. H. Schwartz and P. R. Steinmetz F145

Phosphate transport in superficial and deep nephrons in phosphate-loaded rats
F. G. Knox, J. A. Haas, T. Berndt, G. R. Marchand, and S. P. Youngberg F150

Fluid absorption and active and passive ion flows in the rabbit superficial pars recta
J. A. Schafer, C. S. Patlak, and T. E. Andreoli F154

ANNOUNCEMENTS F168

No. 3. SEPTEMBER 1977

EDITORIAL REVIEW

Prostaglandins and the kidney
M. J. Dunn and V. L. Hood F169

Renal extraction, filtration, absorption, and catabolism of growth hormone
V. Johnson and T. Maack F185

Medullary structures in calcium reabsorption in rats with renal insufficiency
F. O. Finkelstein and A. S. Kliger F197

Effects of hypercalcemia on calcium and phosphate ultrafilterability and tubular reabsorption in the rat
C. A. Harris, R. A. L. Sutton, and J. H. Dirks F201

Renal energy metabolism and sodium reabsorption after 2,4-dinitrophenol administration
J. Johannesen, M. Lie, and F. Kiil F207

Aldosterone and postprandial renal excretion of sodium and potassium in sheep
L. Rabinowitz, S. C. Denham, and R. A. Gunther F213

Feedback control of glomerular filtration rate in isolated, blood-perfused dog kidneys
J. Schnermann, N. Stowe, S. Yarimizu, M. Magnusson, and G. Tingwald F217

Effect of sodium intake on renal potassium excretion
L. N. Peterson and F. S. Wright F225

Stimulation of sodium transport by glucose in the perfused rat kidney
N. S. Frega, J. M. Weinberg, B. D. Ross, and A. Leaf F235

Ontogeny of glycine transport in isolated rat renal tubules
K. S. Roth, S.-M. Hwang, J. W. London, and S. Segal F241

Glycerol-induced acute renal failure in the two-kidney Goldblatt rat
P. Churchill, A. Bidani, L. Fleischmann, and B. Becker-McKenna F247

SPECIAL COMMUNICATIONS

Indirect measurement of total exchangeable potassium
H. M. Shizgal, A. H. Spanier, J. Humes, and C. D. Wood F253

ANNOUNCEMENTS F260

No. 4. OCTOBER 1977

EDITORIAL REVIEW

Phosphate transport along the nephron
F. G. Knox, H. Osswald, G. R. Marchand, W. S. Spielman, J. A. Haas, T. Berndt, and S. P. Youngberg F261

Renal lymph protein in the rat
A. R. Hargens, B. J. Tucker, and R. C. Blantz F269

Renal tubular absorption of D-glucose, 3-*O*-methyl-D-glucose, and 2-deoxy-D-glucose
T. Knight, S. Sansom, and E. J. Weinman F274

Development of chronic perinephritic hypertension in dogs without volume expansion
R. H. Freeman, J. O. Davis, and B. E. Watkins F278

Autoregulation of nephron filtration rate in the dog assessed by indicator-dilution technique
R. H. Williams, C. Thomas, D. Bell, and L. G. Navar F282

Renal hemodynamics in the rat before and during inhibition of angiotensin II
W. J. Arendshorst and W. F. Finn F290

Mechanism of active chloride secretion by shark rectal gland: role of Na-K-ATPase in chloride transport
P. Silva, J. Stoff, M. Field, L. Fine, J. N. Forrest, and F. H. Epstein F298

Bicarbonate transport by isolated perfused rabbit proximal convoluted tubules
M. Burg and N. Green F307

Relation of distal tubular delivery and reabsorptive rate to nephron filtration
R. C. Blantz and K. S. Konnen F315

Effect of basement membrane and colloid osmotic pressure on renal tubule cell volume
M. A. Linshaw, F. B. Stapleton, F. E. Cuppage, and J. J. Grantham F325

Heterogeneity of intracortical peritubular plasma flow in the rat kidney
J. B. Coelho F333

Tubular localization of adaptation to dietary phosphate in rats
R. C. Mühlbauer, J.-P. Bonjour, and H. Fleisch F342

Statistical models for renal micropuncture studies
S. Raman, G. Mousseau, and D. Z. Levine F349

No. 5. NOVEMBER 1977

EDITORIAL REVIEW

Ion pumps in the renal tubule
G. Sachs F359

Control of glomerular filtration rate by renin-angiotensin system
J. E. Hall, A. C. Guyton, T. E. Jackson, T. G. Coleman, T. E. Lohmeier, and N. C. Trippodo F366

Renal excretion of allantoin in rats: a micropuncture and clearance study
J. P. Briggs, M. F. Levitt, and R. G. Abramson F373

pH-Temperature dependence of organic acid transport in rat kidney slices
Y. S. Park and S. Solomon F382

Effects of endogenous angiotensin II on renal sodium excretion and renal hemodynamics
T. E. Lohmeier, A. W. Cowley, Jr., N. C. Trippodo, J. E. Hall, and A. C. Guyton F388

Transient response of glomerular filtration rate and renal blood flow to step changes in arterial pressure
T. E. Jackson, A. C. Guyton, and J. E. Hall F396

Comparative study on development of corticosterone and DOCA hypertension in rats
D. Haack, J. Möhring, B. Möhring, M. Petri, and E. Hackenthal F403

Ionic composition of arterial and mixed venous plasma in the unanesthetized dog
J. Zweens, H. Frankena, E. J. van Kampen, P. Rispens, and W. G. Zijlstra F412

Renal sodium reabsorption following induction of and recovery from volume expansion
T. F. Knight and E. J. Weinman F416

Mechanism of active chloride transport by urinary bladder of the Colombian toad
G. B. Soboslai, M. McTigue, and M. W. Weiner F421

Renal concentrating ability in the uninephrectomized rat
E. Sachtjen, L. Rabinowitz, and P. E. Binkerd F428

Isolated, perfused amphibian renal tubules: the diluting segment
L. C. Stoner F438

Transport and catabolism of parathyroid hormone in isolated rat kidney
S. T. Kau and T. Maack F445

Acidic peptide and polyribonucleotide crystal growth inhibitors in human urine
H. Ito and F. L. Coe F455

Kinetic analysis of potassium transport in bullfrog kidney
L. P. Sullivan, D. J. Welling, D. G. Deeds, and J. N. Simone F464

SPECIAL COMMUNICATIONS

Function and structure of perfused bullfrog kidney
D. G. Deeds, L. P. Sullivan, R. A. Fenton, J. M. Tucker, and F. E. Cuppage F481

No. 6. DECEMBER 1977

EDITORIAL REVIEW

Structural and functional heterogeneity of mammalian nephrons
H. Valtin F491

Transport of H^+ against electrochemical gradients in turtle urinary bladder
Q. Al-Awqati, A. Mueller, and P. R. Steinmetz F502

Renin-angiotensin system and cardiovascular homeostasis in adrenal insufficiency
A. S. Berns, R. G. Pluss, A. L. Erickson, R. J. Anderson, K. M. McDonald, and R. W. Schrier F509

Effects of PTH and cAMP on renal handling of calcium, magnesium, and phosphate in the hamster
M. A. Burnatowska, C. A. Harris, R. A. L. Sutton, and J. H. Dirks F514

Maturation of diluting capacity in loop of Henle of rat superficial nephrons
H. Zink and M. Horster F519

Osmotic and solute permeabilities of isolated urinary bladder of the trout
B. Fossat and B. Lahlou F525

Renal handling of lead in dogs: clearance studies
A. J. Vander, D. L. Taylor, K. Kalitis, D. R. Mouw, and W. Victery F532

Possible modulation of rat renal prostaglandin production by oxygen
T. V. Zenser, M. J. Levitt, and B. B. Davis F539

Transport characteristics of renal collecting tubules: influences of DOCA and diet
R. G. O'Neil and S. I. Helman F544

Model of active transepithelial Na and K transport of renal collecting tubules
S. I. Helman and R. G. O'Neil F559

Sodium retention and ascites formation in dogs with experimental portal cirrhosis
M. Levy F572

Sodium retention in dogs with cirrhosis and ascites: efferent mechanisms
M. Levy F586

Relationship between mineralocorticoids and renal Na^+-K^+-ATPase: sodium reabsorption
C. Westenfelder, G. J. Arevalo, R. L. Baranowski, N. A. Kurtzman, and A. I. Katz F593

Effects of surgery on plasma volume and salt and water excretion in rats
D. A. Maddox, D. C. Price, and F. C. Rector, Jr. F600

Functions of apical membrane of toad urinary bladder: effects of membrane impermeant reagents
V. Harms and D. D. Fanestil F607

SPECIAL COMMUNICATIONS

Collection of urine from each kidney in the rabbit without ureteral cannulation
D.-S. Chen, D. E. Donald, and J. C. Romero F615

Subject Index to Volume 2 F618
Author Index to Volume 2 F624